



Diversey Europe BV

Maarssebroeksedijk 2  
3542 DN Utrecht  
The Netherlands

Tel. +31 (0)30 247 6427

## CERTIFICATE OF ANALYSIS

Date: 20/4/12

Product Name	CLEARKLENS IPA VH1
Product Code	7513400
Batch Number	W03/810
Production Date	04/2012
Expiration Date	04/2014

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product.

Test	Test Method	Limits		Results
		Lower	Upper	
Appearance	Visual	Clear	Colourless Liquid	Clear Colourless liquid
Specific Gravity (20°C)	JDM004	0.872	0.883	0.877

On behalf of Diversey site Quality Manager	Name :	<i>C. Mascoe</i>
	Position	Quality Control Inspector

This document being issued electronically does not bear a signature

COA 7513400	Version : 03	Date of issuing : November 28 <sup>th</sup> 2011
-------------	--------------	--

**CERTIFICATE OF IRRADIATION**      Number: **B**      0527219 00

FLE001

Page 1

Flexible Medical Packaging Ltd  
 Unit 8  
 White Cross Industrial Estate  
 Hightown  
 Lancaster



**Synergy Health plc**  
 Roydsdale Way · Euroway Trading Estate  
 Bradford · West Yorkshire  
 BD4 6SE · United Kingdom  
 Telephone: +44 (0)1274 686011  
 Facsimile: +44 (0)1274 686061  
 Email: assistance@synergyhealthplc.com  
 Website: www.synergyhealthplc.com

LA1 4XS  
 P018403  
 Cust. Ref: P018403  
 Date Rec'd 5/04/12  
 Date: 13/04/12

ITEM CODE SYNERGY HEALTH BATCH	ITEM SPECIFICATION	QTY	ADDITIONAL DETAILS
B2FLE0010081 B212040243	JD IPA BOTTLES 25-45kGy	175	B/No.W031810  ROUTINE DOSE 36.9, 37.0, 37.5 kGy
B2FLE0010999 B212040243	SAMPLES	6	CUSTOMER BATCH/CODE No.s AS ORDER No.P018403 DATED 4/4/12
	Despatch Text:  4PLTS		
	Total	181	Last Page 1 of 1

All in accordance with current  
 Technical Agreement

This is to certify that the above items have been irradiated as  
 specified above

Authorising Signature: *J. Coffey*

Mr J Jackson  
Flexible Medical Packaging Limited  
Unit 8  
Hightown  
White Cross Industrial Estate  
Lancaster  
LA1 4XS

**Date Received:** 24 Apr 2012  
**Date Tested:** 26 Apr 2012  
**Date Test Completed:** 26 Apr 2012  
**Purchase Order:** 18470

### CERTIFICATE OF ANALYSIS

**Laboratory Reference Number:** 0004406/4  
**Test Required:** Bacterial Endotoxin Testing by Kinetic QCL: Ph Eur and USP  
**Date Received:** 24/04/2012  
**Test Article:** Clearklens IPA Block1  
**Sample Code:** -  
**Batch Ref:** WO31810  
**Qty Received:** 1 x 900mL

Test	Method Item	Result
Bacterial Endotoxin by Kinetic QCL Test	MM110/00	<0.2 EU/mL
Spiked Recovery	MM110/01	63 %
Dilution Tested	MM110/04	1/40
Endotoxin Spike Level	MM110/02	0.5 EU/mL
Product Standard Data Sheet	FG047/psd	FM02

#### Comments

Test carried out according to current Pharmacopoeias.

Approval is provided by Electronic Signature. Their name is shown below.



Date: 27 Apr 2012 11:45:42

Mrs P. Pham-Lengoc, BSc, MSB  
Laboratory Manager - Pharmaceutical Microbiology

Consignment: 0004406

Certificate of Analysis - OSMM

Print Number: P0002709

Page 1 of 1



Mr J Jackson  
Flexible Medical Packaging Limited  
Unit 8  
Hightown  
White Cross Industrial Estate  
Lancaster  
LA1 4XS

**Date Received:** 24 Apr 2012  
**Date Tested:** 02 May 2012  
**Date Test Completed:** 16 May 2012  
**Purchase Order:** 18470

### CERTIFICATE OF ANALYSIS

**Laboratory Reference Number:** 0004863/1  
**Test Required:** Sterility Test by Membrane Filtration (Steritest) Method I: Ph Eur and USP  
**Date Received:** 24/04/2012  
**Test Article:** Clearklens IPA Block 1  
**Sample Code:** -  
**Batch Ref:** WO31810  
**Qty Received:** 20 x 900mL + 3 Spores

Test	Method Item	Result
Sterility Test by Membrane Filtration (Steritest) Method	MM107/00	Pass
Growth in Tryptone Soya Broth at 20-25°C after 14 days	MM107/01	No growth in one broth
Growth in Fluid Thioglycollate Medium at 30-35°C after 14 days	MM107/02	No growth in one broth
Volume Tested	MM107/05	20 x 50mL mL
Product Standard Data Sheet	FG047/psd	FM03

#### Comments

Test carried out according to current Pharmacopoeias.

Approval is provided by Electronic Signature. Their name is shown below.

*Suz Wood*

Date: 24 May 2012 14:38:07

Mrs S.L. Wood, BSc (Hons), CBiol, MSB  
Senior Laboratory Manager - Pharmaceutical Microbiology