



**Factory:** Diversey Italy Production S.r.l  
**Address:** SS 235 Crema-Lodi  
Bagnolo Cremasco  
**Post Code:** 26010  
**Country:** Italy  
**Tel:** +39 0373 205 1  
**Fax:** +39 0373 205 351

## CERTIFICATE OF ANALYSIS

Date: 11/10/2017

<b>Product Name</b>	<b>DI ClearKlens Dilac VH14 900L</b>
<b>Product Code</b>	<b>7518613</b>
<b>Batch Number</b>	<b>BAG 591113</b>
<b>Production Date</b>	<b>11/10/2017</b>
<b>Expiration Date</b>	<b>11/10/2018</b>

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product.

<b>Test</b>	<b>Test Method</b>	<b>Limits</b>		<b>Results</b>
		<b>Lower</b>	<b>Upper</b>	
Appearance	PAG183G18(001)	Clear liquid		Conform
Free Acidity (-% Na2O pH 3,6)	DM-003	19,5	22,0	20,7
Total Acidity (-% Na2O pH 8,2)	DM-003	21,5	24,0	22,8
pH 1% solution	DM-001	2 max		1,4
Relative Density at 20°C	DM-004	1.270	1.290	1.280

On behalf of Diversey site Quality Manager	Name	Noemi Cazzamali
	Position	GMP Specialist

*This document being issued electronically does not bear a signature*

Template ref. AL01-PQ 301 10/2012	Document revision : 01	Revision date: 10/2012
-----------------------------------	------------------------	------------------------