



**Factory:** Diversey Italy Production S.r.l  
**Address:** SS 235 Crema-Lodi  
Bagnolo Cremasco  
**Post Code:** 26010  
**Country:** Italy  
**Tel:** +39 0373 205 1  
**Fax:** +39 0373 205 351

## CERTIFICATE OF ANALYSIS

Date: 27/03/2015

|                        |  |
|------------------------|--|
| <b>Product Name</b>    | <b>DI ClearKlens Deogen VH47 20L W1667</b> |
| <b>Product Code</b>    | <b>7522374</b>                             |
| <b>Batch Number</b>    | <b>BAG 500210</b>                          |
| <b>Production Date</b> | <b>27/03/2015</b>                          |
| <b>Expiration Date</b> | <b>27/09/2015</b>                          |

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product.

| <b>Test</b>                                      | <b>Test Method</b> | <b>Limits</b>        | <b>Results</b> |
|--|--------------------|----------------------|----------------|
|  |                    | <b>Lower - Upper</b> |                |
| Appearance                                       | 183 G18 (001)      | Liquid yellow clear  | Conform        |
| Specific Gravity                                 | DM-004             | 1,170 - 1,210        | 1,188          |
| Percent free alkalinity as Na2O (pH 8 point 2)   | DM-014             | 4.0 - 5.0            | 4,4            |
| Percent Total alkalinity as Na2O (pH 3 point 6 ) | DM-014             | 4,7 - 5,7            | 4,8            |
| Available chlorine (%)                           | DM-007             | 6,7 -7,3             | 7,0            |

|   |          |                 |
|---|----------|-----------------|
| On behalf of Diversey site<br>Quality Manager | Name     | Noemi Cazzamali |
|   | Position | GMP Specialist  |

*This document being issued electronically does not bear a signature*

|                                   |                        |                        |
|-----------------------------------|------------------------|------------------------|
| Template ref. AL01-PQ 301 10/2012 | Document revision : 01 | Revision date: 10/2012 |
|-----------------------------------|------------------------|------------------------|