



**Factory:** Diversey Italy Production S.r.l  
**Address:** SS 235 Crema-Lodi  
Bagnolo Cremasco  
**Post Code:** 26010  
**Country:** Italy  
**Tel:** +39 0373 205 1  
**Fax:** +39 0373 205 351

## CERTIFICATE OF ANALYSIS

|                        |                              |
|------------------------|------------------------------|
| <b>Product name</b>    | <b>DI Dilac EMA 900L F,I</b> |
| <b>Product code</b>    | <b>7517826</b>               |
| <b>Batch number</b>    | <b>BAG 518666</b>            |
| <b>Production date</b> | <b>02/10/2015</b>            |
| <b>Expiry date</b>     | <b>02/10/2018</b>            |

| <b>Test</b>                                       | <b>Test method</b> | <b>Limits</b>                             | <b>Results</b> |
|---|--------------------|---|----------------|
| Appearance at 20 °C                               | Visual             | Clear liquid non colored to slight yellow | o.k.           |
| Total acidity (% H <sub>3</sub> PO <sub>4</sub> ) | DM-003             | 48.0 - 52.0                               | 49.2           |
| pH sol. 1% , 20 °C                                | DM-001             | 1.5 - 2.5                                 | 1.71           |
| Density, 20 °C (kg/m <sup>3</sup> )               | DM-004             | 1318 - 1338                               | 1320           |

**This Batch is in conformity with last approved Lilly specification and has been released after checking the “Batch record”**

|   |                  |                           |
|---|------------------|---------------------------|
| On behalf of Diversey Italy Production S.r.l<br>Quality Manager | <b>Name</b>      | Matteo Carelli            |
|   | <b>Position</b>  | Quality control inspector |
|   | <b>Date</b>      | 05/10/2015                |
|   | <b>Signature</b> |                           |

|                                   |                        |                        |
|-----------------------------------|------------------------|------------------------|
| Template ref. AL03-PQ 301 10/2012 | Document revision : 01 | Revision date: 10/2012 |
|-----------------------------------|------------------------|------------------------|