

Factory: Diversey Italy Production S.r.I **Address:** SS 235 Crema-Lodi

Bagnolo Cremasco

Post Code: 26010 Country: Italy

Tel: +39 0373 205 1 Fax: +39 0373 205 351

CERTIFICATE OF ANALYSIS

Date: 03/13/2016

| Product Name | DI ClearKlens Dilac VH14 900L W1779 |
|------------------------|-------------------------------------|
| Product Code | 7518613 |
| Batch Number | BAG 532828 |
| Production Date | 03/03/2016 |
| Expiration Date | 03/03/2017 |

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product.

| Test | Test Method | Limits Lower - Upper | Results |
|------------------------------|----------------|-------------------------|---------|
| Appearance | PAG183G18(001) | Clear liquid | Conform |
| Free Acidity (-%Na2O pH3,6) | DM-003 | 19,5 - 22,0 | 20,4 |
| Total Acidity (-%Na2O pH8,2) | DM-003 | 21,5 - 24,0 | 22,5 |
| pH 1% solution | DM-001 | 2 max | 1,2 |
| Relative Density at 20°C | DM-004 | 1.270 - 1.290 | 1.282 |

| On behalf of Diversey site Quality Manager | Name | Noemi Cazzamali |
|---|----------|-----------------|
| | Position | GMP Specialist |

This document being issued electronically does not bear a signature

| Template ref. AL01-PQ 301 10/2012 | Document revision : 01 | Revision date: 10/2012 |
|-----------------------------------|------------------------|------------------------|