



## **CERTIFICATE OF ANALYSIS**

Date: 25/05/2017

| Product Name    | DI ClearKlens Kristalle VH6 20L |
|-----------------|---------------------------------|
| Product Code    | 7513380                         |
| Batch Number    | BAG 576514                      |
| Production Date | 24/05/2017                      |
| Expiration Date | 24/05/2019                      |

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product.

| Test                      | Test Method       | Limits<br>Lower - Upper | Results |
|---------------------------|-------------------|-------------------------|---------|
| Appearance                | PAG 183 G18 (001) | liquid                  | Conform |
| Cloud Point (1% solution) | DM-016            | 30 – 35                 | 34      |
| Refractive Index          | DM-005            | 64.7919 - 66.4787       | 65,0    |
| Specific Gravity at 20°C  | DM-004            | 0,980 - 1,020           | 1,010   |

| On behalf of Diversey site<br>Quality Manager | Name     | Noemi Cazzamali |
|---|----------|-----------------|
|   | Position | GMP Specialist  |

This document being issued electronically does not bear a signature

| Template ref. AL01-PQ 301 10/2012 | Document revision : 01 | Revision date: 10/2012 |
|-----------------------------------|------------------------|------------------------|
|-----------------------------------|------------------------|------------------------|