



**Factory:** Diversey Italy Production S.r.l  
**Address:** SS 235 Crema-Lodi  
Bagnolo Cremasco  
**Post Code:** 26010  
**Country:** Italy  
**Tel:** +39 0373 205 1  
**Fax:** +39 0373 205 317

## CERTIFICATE OF ANALYSIS

Date: 03/08/2021

|                        |                               |
|------------------------|-------------------------------|
| <b>Product Name</b>    | DI ClearKlens Deogen VH47 20L |
| <b>Product Code</b>    | 7522374                       |
| <b>Batch Number</b>    | 0000715799                    |
| <b>Production Date</b> | 03/08/2021                    |
| <b>Expiration Date</b> | 30/01/2022                    |

This is to certify that the above batch of product has been tested and conforms to manufacturing Quality Control specification for the product.

| Analysis                                    | Methods             | UM | Limits<br>(Lower - Upper) | Results |
|---------------------------------------------|---------------------|----|---------------------------|---------|
| Active Chlorine                             | DM007               | %  | (6,7-7,3)                 | 6,8     |
| Appearance                                  | PAG N°183 G18 (001) | -  | Clear yellow liquid       | Conform |
| Free Alkalinity chlorinate<br>%Na2O pH 8.2  | DM014               | %  | (4,0-5,0)                 | 4,3     |
| Odour                                       | PAG N°186 G46 (001) | -  | Chlorine                  | Conform |
| Relative Density at 20°C                    | DM004               | -  | (1,170-1,210)             | 1,184   |
| Total alkalinity chlorinate<br>%Na2O pH 3.6 | DM014               | %  | (4,7-5,7)                 | 4,7     |

|                            |           |                 |
|----------------------------|-----------|-----------------|
| Quality Manager            | Position: | GMP Specialist  |
| On behalf of Diversey site | Name:     | Noemi Cazzamali |

*This document being issued electronically does not bear a signature*

|                           |            |                        |
|---------------------------|------------|------------------------|
| Template ref. AL01-PQ 301 | Version 03 | Revision date: 11/2017 |
|---------------------------|------------|------------------------|