

Factory: Diversey Italy Production S.r.I SS 235 Crema-Lodi Bagnolo Cremasco
Post Code: 26010
Country: Italy
Tel: +39 0373 205 1
Fax: +39 0373 205 317

CERTIFICATE OF ANALYSIS

Date: 09/11/2021

Product Name	DI ClearKlens Dilac VH14 900L GB,IRL	
Product Code	7518613	
Batch Number	0000725213	
Production Date	09/11/2021	
Expiration Date	30/10/2023	

This is to certify that the above batch of product has been tested and conforms to manifacturing Quality Control specification for the product.

Analysis	Methods	UM	Limits (Lower - Upper)	Results
Appearance	PAG N°183 G18 (001)	-	Clear colorless liquid	Conform
pH (sol. in water 1%)	DM001	-	(0,0-2,0)	1,3
Free Acidity as %Na2O pH 3.6	DM003	%	(19,5-22,0)	20,8
Relative Density at 20°C	DM004	-	(1,270-1,290)	1,287
Total acidity as %Na2O pH 8.2	DM003	%	(21,5-24,0)	23,0

Quality Manager	Position:	GMP Specialist
On behalf of Diversey site	Name:	Noemi Cazzamali

Template ref. AL01-PQ 301	Version 03	Revision date: 11/2017
---------------------------	------------	------------------------