



Diversey Europe BV
 Maarssebroeksedijk 2
 3542 DN Utrecht, The Netherlands
 Tel. +31 (0)30 247 6427
 www.Diversey.com
 Diversey - Lets Live

CERTIFICATE OF ANALYSIS

Date issue: 26/3/2024

Product Name	DI ClearKlens IPA VH1 S 6x0.9L		
Product Code	<input checked="" type="checkbox"/> 101105062	<input type="checkbox"/> 101105063	<input type="checkbox"/> 101105064
Batch Number	FMP23311	58915	
Production Date	07/11/2023		
Expiration Date	EXP 07/11/2025		

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product

Test	Test Method	Specification	UOM	Results
Appearance	Visual	Clear Colourless Liquid	NA	Clear Colourless Liquid
Specific Gravity (20°C)	DM004	0.872 0.883	g/cm3	0.875

Control of the Sterility of the product:

Test	Test Method	Specification	Conformity	Reference No:
Sterilization	Gamma Irradiation	25.0 - 45.0 (kGy)	YES	58915
Sterility Certificate	Sterility by Membrane Filtration EP 9.0 2.6.1, USP 42<71> & JP XVII 4.06	No Growth	YES	UK234412-33453
2.6.14 Bacterial Endotoxins	Method C - Turbidimetric Kinetic Method (EP/USP Criteria)	<0.2 EU/mL	YES	UK234412-33454

	Date of released on behalf of Diversey's Manufacturing Location:	Testers:	
		Natalia Traichel	30/11/2023
		Angelika Pietraszko	30/11/2023
		Quality Control Inspector	
		Olga Kirchner	22/12/2023

The analysis results above could change over time and in function of the storage temperature. It is imperative to store the products according to the recommended conditions indicated in the SDS.

End of certificate of analysis

DocuSigned by:

Juliana de Souza Hyczy Hamberland

DABD7554EF0947F...

Juliana de Souza Hyczy Hamberland

Quality Programs Manager

Diversey - A solenis company

26/3/2024



Certificate of Processing

STERIGENICS Seymour Link Road Woodthorpe Mastin Moor
TEL (0)1246 561230 FAX www.sterigenics.com

R55480102

11/20/2023 13:49:40 GMT

Page 1 of 1

Customer Name:	FLEXIBLE MED. GBP UK LANCASTER	Processing Facility:	Markham Vale	Work Order #	3448541
P.O.#	406774			Sales Order #	3430600
25 - 45 kGy		Gamma Irradiation		Irradiation Date/Time:	11/17/2023 12:59:00 GMT

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	650	BX	101105062	Diversey Clearklens IPA 900ml	FMP23311	58915/STR002199
			Dose Map	RF: 13.5A3, AF Min: 0.717		
	650	BX	Total			

Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By----- User	Date /Time
450.00	Maximum Dose	25.0 kGy	45.0 kGy	39.3 KGY	Pass	LDAWSON	11/18/2023 00:59:18 GMT
		Reason Code Test				LINDSAY DAWSON	
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.7 KGY	Pass	LDAWSON	11/18/2023 00:59:47 GMT
		Reason Code Test				LINDSAY DAWSON	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: RHIANNON GATES
Reason: Work Order Completions

Date: 11/20/2023 13:46:44 GMT

DS

26/3/2024



Certificate of Processing

STERIGENICS Seymour Link Road Woodthorpe Mastin Moor
TEL (0)1246 561230 FAX www.sterigenics.com

R55480102

11/20/2023 13:50:28 GMT

Page 1 of 1

Customer Name:	FLEXIBLE MED. GBP UK LANCASTER	Processing Facility:	Markham Vale	Work Order #	3449998
P.O.#	406809			Sales Order #	3432353
25 - 45 kGy		Gamma Irradiation		Irradiation Date/Time:	11/17/2023 15:55:33 GMT

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	1075	BX	101105062	Diversey Clearklens IPA 900ml	FMP23311	58915/STR002199
			Dose Map	RF: 13.5A3, AF Min: 0.717		
	1075	BX	Total			


Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By-----	
						User	Date /Time
450.00	Maximum Dose	25.0 kGy	45.0 kGy	39.1 KGY	Pass	LDAWSON	11/18/2023 06:33:55 GMT
		Reason Code Test				LINDSAY DAWSON	
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.2 KGY	Pass	LDAWSON	11/18/2023 06:34:26 GMT
		Reason Code Test				LINDSAY DAWSON	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: RHIANNON GATES
Reason: Work Order Completions

Date: 11/20/2023 13:48:20 GMT

DS

 26/3/2024



Certificate of Processing

STERIGENICS Seymour Link Road Woodthorpe Mastin Moor
TEL (0)1246 561230 FAX www.sterigenics.com

R55480102

11/27/2023 10:24:10 GMT

Page 1 of 1

Customer Name:	FLEXIBLE MED. GBP UK LANCASTER	Processing Facility:	Markham Vale	Work Order #	3456219
P.O.#	406881			Sales Order #	3439349
25 - 45 kGy		Gamma Irradiation	Irradiation Date/Time:	11/25/2023 11:42:18 GMT	

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	427	BX	101105062	Diversey Clearklens IPA 900ml	FMP23311	58915/STR002199
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
102.000	3	BX	101105062_SAMPLE	Diversey Clearklens IPA 900ml	FMP23311	58915/STR002199
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
103.000	395	BX	100862174	Diversey Clearklens DE 900 mL	FMP23318	58916/STR001910
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
	825	BX	Total			

Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By----- User	Date /Time
450.00	Maximum Dose	25.0 kGy	45.0 kGy	39.8 KGY	Pass	CCICALA	11/27/2023 09:20:42 GMT
		Reason Code Test				CLAIRE CICALA	
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.4 KGY	Pass	DYATES	11/26/2023 01:39:23 GMT
		Reason Code Test				DANIEL YATES	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: CLAIRE CICALA
Reason: Work Order Completions

Date: 11/27/2023 10:23:31 GMT

DS


26/3/2024

PHARMACEUTICAL ANALYSIS REPORT

**Flexible Medical Packaging**

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mrs. Olga Kirchner

Report of Tests on: ClearKlens IPA

Sample Description: Sample Code: Fmp23311 58915

Lucideon Sample Number: UK234412-33453

Lucideon Report Number: UK234412-33453/MFEP **Issue Number:** 1

Date Logged: 01-Dec-2023 **Order Number:** 406976

Date Reported: 21-Dec-2023 **Date(s) of Test(s):** 05-Dec-2023 to 19-Dec-2023

Sterility Testing
Membrane Filtration EP

Test Results:

The test results meet the EP/USP criteria: Yes

Result: Pass

Tests carried out in accordance with cGMP

End of Test Report

DocuSigned by:

Natalie Boot

Signer Name: Natalie Boot
Signing Reason: I have reviewed this document
Signing Time: 21 December 2023 | 15:51 GMT

90369E9048134123B65D5E8FBD375BF3

DS

26/3/2024

Mrs Natalie Boot

Senior Business Support Administrator

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited T +44 (0)1785 331874
Queens Road, Penkhull query@lucideon.com
Stoke-on-Trent www.lucideon.com
Staffordshire, ST4 7LQ, UK Reg. England 1960455

Certificate Of Completion

Envelope Id: 91578D24856A434A95CC5DC953A7FE87	Status: Completed
Subject: Complete with DocuSign: DataWindow.xps	
Source Envelope:	
Document Pages: 2	Signatures: 2
Certificate Pages: 1	Initials: 0
AutoNav: Enabled	Envelope Originator:
Envelope Stamping: Disabled	Natalie Boot
Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London	Queens Road
	Stoke-on-Trent, Staffordshire ST4 7LQ
	Natalie.Boot@uk.lucideon.com
	IP Address: 86.188.222.148

Record Tracking

Status: Original	Holder: Natalie Boot	Location: DocuSign
21-Dec-23 15:48	Natalie.Boot@uk.lucideon.com	

Signer Events

Signature	Timestamp
Natalie Boot	Sent: 21-Dec-23 15:50
natalie.boot@uk.lucideon.com	Viewed: 21-Dec-23 15:50
PlaceHolder	Signed: 21-Dec-23 15:51
Lucideon Limited	
Security Level: Email, Account Authentication (Required), Authentication, Logged in	
Signature Adoption: Pre-selected Style	
Signature ID:	
90369E90-4813-4123-B65D-5E8FBD375BF3	
Using IP Address: 86.188.222.148	
With Signing Authentication via DocuSign password	
With Signing Reasons (on each tab):	
I have reviewed this document	
I have reviewed this document	

Electronic Record and Signature Disclosure:
Not Offered via DocuSign

In Person Signer Events

Editor Delivery Events

Agent Delivery Events

Intermediary Delivery Events

Certified Delivery Events

Carbon Copy Events

Witness Events

Notary Events

Envelope Summary Events

Envelope Sent	Hashed/Encrypted	21-Dec-23 15:50
Certified Delivered	Security Checked	21-Dec-23 15:50
Signing Complete	Security Checked	21-Dec-23 15:51
Completed	Security Checked	21-Dec-23 15:51

Payment Events



PHARMACEUTICAL ANALYSIS REPORT

**Flexible Medical Packaging**

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mrs. Olga Kirchner

Report of Tests on: ClearKlens IPA

Sample Description: Sample Code: Fmp23311 58915

Lucideon Sample Number: UK234412-33454

Lucideon Report Number: UK234412-33454/ETEP **Issue Number:** 1

Date Logged: 01-Dec-2023 **Order Number:** 406976

Date Reported: 14-Dec-2023 **Date(s) of Test(s):** 07-Dec-2023 to 07-Dec-2023

Endotoxin Test (EP)

2.6.14 Bacterial Endotoxins - Method C - Turbidimetric Kinetic Method

Test Results:

The test results meet the EP/USP criteria: Yes

Result: Pass (<0.2000 EU/ml)

Tests carried out in accordance with cGMP

End of Test Report

DocuSigned by:

Natalie Boot



Signer Name: Natalie Boot
Signing Reason: I have reviewed this document
Signing Time: 14 December 2023 | 09:53 GMT

90369E9048134123B65D5E8FBD375BF3

DS

26/3/2024

Mrs Natalie Boot

Senior Business Support Administrator

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited
Queens Road, Penkhull
Stoke-on-Trent
Staffordshire, ST4 7LQ, UK

T +44 (0)1785 331874
query@lucideon.com
www.lucideon.com
Reg. England 1960455


Certificate Of Completion

Envelope Id: D9F436AA53724BA38A75AAA0E61BEB93		Status: Completed
Subject: sign		
Source Envelope:		
Document Pages: 1	Signatures: 1	Envelope Originator:
Certificate Pages: 1	Initials: 0	Natalie Boot
AutoNav: Enabled		Queens Road
Envelopeld Stamping: Disabled		Stoke-on-Trent, Staffordshire ST4 7LQ
Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London		Natalie.Boot@uk.lucideon.com
		IP Address: 86.188.245.148

Record Tracking

Status: Original	Holder: Natalie Boot	Location: DocuSign
14-Dec-23 09:52	Natalie.Boot@uk.lucideon.com	

Signer Events	Signature	Timestamp
---------------	-----------	-----------

Natalie Boot		Sent: 14-Dec-23 09:53
natalie.boot@uk.lucideon.com		Viewed: 14-Dec-23 09:53
Placeholder		Signed: 14-Dec-23 09:53
Lucideon Limited		
Security Level: Email, Account Authentication (Required), Authentication, Logged in	Signature Adoption: Pre-selected Style	
	Signature ID:	
	90369E90-4813-4123-B65D-5E8FBD375BF3	
	Using IP Address: 86.188.222.148	
	With Signing Authentication via DocuSign password	
	With Signing Reasons (on each tab):	
	I have reviewed this document	

Electronic Record and Signature Disclosure:
Not Offered via DocuSign

In Person Signer Events	Signature	Timestamp
-------------------------	-----------	-----------

Editor Delivery Events	Status	Timestamp
------------------------	--------	-----------

Agent Delivery Events	Status	Timestamp
-----------------------	--------	-----------

Intermediary Delivery Events	Status	Timestamp
------------------------------	--------	-----------

Certified Delivery Events	Status	Timestamp
---------------------------	--------	-----------

Carbon Copy Events	Status	Timestamp
--------------------	--------	-----------

Witness Events	Signature	Timestamp
----------------	-----------	-----------

Notary Events	Signature	Timestamp
---------------	-----------	-----------

Envelope Summary Events	Status	Timestamps
-------------------------	--------	------------

Envelope Sent	Hashed/Encrypted	14-Dec-23 09:53
Certified Delivered	Security Checked	14-Dec-23 09:53
Signing Complete	Security Checked	14-Dec-23 09:53
Completed	Security Checked	14-Dec-23 09:53

Payment Events	Status	Timestamps
----------------	--------	------------