

CERTIFICATE OF ANALYSIS

Date issue: 01 September 2023

Product Name	CLEARLENs IPA VH1		
Product Code	<input checked="" type="checkbox"/> 101105062	<input type="checkbox"/> 101105063	<input type="checkbox"/> 101105064
Batch Number	FMP23223	57853	
Production Date	11/08/2023		
Expiration Date	EXP 11/08/2025		

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product

Test	Test Method	Specification	UOM	Results
Appearance	Visual	Clear Colourless Liquid	NA	Clear Colourless Liquid
Specific Gravity (20°C)	DM004	0.872 0.883	g/cm3	0.875

Control of the Sterility of the product:

Test	Test Method	Specification	Conformity	Reference No:
Sterilization	Gamma Irradiation	25.0 - 45.0 (kGy)	YES	57853
Sterility Certificate	Sterility by Membrane Filtration EP 9.0 2.6.1, USP 42<71> & JP XVII 4.06	No Growth	YES	UK233279-24773
2.6.14 Bacterial Endotoxins	Method C - Turbidimetric Kinetic Method (EP/USP Criteria)	<0.2 EU/mL	YES	UK233279-24774

	Date of released on behalf of Diversey's Manufacturing Location:	Testers:	
		Natalia Traichel	01/09/2023
		Justyna Staron	01/09/2023
		Quality Control Inspector	
		Olga Kirchner	27/09/2023

The analysis results above could change over time and in function of the storage temperature. It is imperative to store the products according to the recommended conditions indicated in the SDS.

End of certificate of analysis

R55480102

08/21/2023 8:40:35 GMT
Page 1 of 1

Customer Name:	FLEXIBLE MED. GBP UK LANCASTER	Processing Facility:	Markham Vale	Work Order #	3397921
P.O.#	406066			Sales Order #	3371012
25 - 45 kGy		Gamma Irradiation	Irradiation Date/Time:	00:00:00 GMT	

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	480	BX	101105062	Diversey Clearklens IPA 900ml	FMP23214	57852/STR002199
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
102.000	3	BX	101105062_SAMPLE	Diversey Clearklens IPA 900ml	FMP23214	57852/STR002199
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
103.000	492	BX	101105062	Diversey Clearklens IPA 900ml	FMP23223	57853/STR002199
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
	975	BX	Total			

Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By----- User	Date /Time
450.00	Maximum Dose	25.0 kGy	45.0 kGy	38.7 KGY	Pass	DYATES	08/19/2023 12:13:31 GMT
		Reason Code Test				DANIEL YATES	
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.4 KGY	Pass	DYATES	08/19/2023 12:13:45 GMT
		Reason Code Test				DANIEL YATES	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: CLAIRE CICALA
 Reason: Work Order Completions

Date: 08/21/2023 08:31:53 GMT

R55480102

08/29/2023 8:45:11 GMT
Page 1 of 1

Customer Name:	FLEXIBLE MED. GBP UK LANCASTER	Processing Facility:	Markham Vale	Work Order #	3401555
P.O.#	406117			Sales Order #	3375479
	25 - 45 kGy	Gamma Irradiation	Irradiation Date/Time:		00:00:00 GMT

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	939	BX	101105062	Diversey Clearklens IPA 900ml	FMP23223	57853/STR002199
			302_0112	RF: 13.5A3, AF Min: 0.717		
102.000	11	BX	101105062_SAMPLE	Diversey Clearklens IPA 900ml	FMP23223	57853/STR002199
			302_0112	RF: 13.5A3, AF Min: 0.717		
	950	BX	Total			

Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By----- User	Date /Time
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.4 KGY	Pass	EMORRIS	08/26/2023 15:23:32 GMT
		Reason Code Test				EDWARD MORRIS	
450.00	Maximum Dose	25.0 kGy	45.0 kGy	38.9 KGY	Pass	EMORRIS	08/26/2023 15:23:55 GMT
		Reason Code Test				EDWARD MORRIS	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: CLAIRE CICALA
 Reason: Work Order Completions

Date: 08/29/2023 08:41:51 GMT

PHARMACEUTICAL ANALYSIS REPORT

LUCIDEON

insight creating advantage

Flexible Medical Packaging

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mr. Luka Davies

Report of Tests on: ClearKlens IPA

Sample Description: Sample Code: Fmp23223 57853

Lucideon Sample Number: UK233279-24773

Lucideon Report Number: UK233279-24773/MFEP **Issue Number:** 1

Date Logged: 04-Sep-2023 **Order Number:** 406213

Date Reported: 27-Sep-2023 **Date(s) of Test(s):** 12-Sep-2023 to 26-Sep-2023

Sterility Testing

Membrane Filtration EP

Test Results:

Result: Pass

The test results meet the EP/USP criteria: Yes

Tests carried out in accordance with cGMP

End of Test Report

DocuSigned by:

Natalie Boot



Signer Name: Natalie Boot
Signing Reason: I have reviewed this document
Signing Time: 27 September 2023 | 11:15 BST

90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

Senior Business Support Administrator

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited
Queens Road, Penkhull
Stoke-on-Trent
Staffordshire ST4 7LQ

T +44 (0)1782 764428
enquiries@lucideon.com
www.lucideon.com

Certificate Of Completion

Envelope Id: 167CA2F3823F4B5496840FB8196B7051

Status: Completed

Subject: Sign

Source Envelope:

Document Pages: 1

Signatures: 1

Envelope Originator:

Certificate Pages: 1

Initials: 0

Natalie Boot

AutoNav: Enabled

Queens Road

Envelopeld Stamping: Disabled

Stoke-on-Trent, Staffordshire ST4 7LQ

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Natalie.Boot@uk.lucideon.com

IP Address: 86.188.245.148

Record Tracking

Status: Original

Holder: Natalie Boot

Location: DocuSign

27-Sep-23 | 11:13

Natalie.Boot@uk.lucideon.com

Signer Events**Signature****Timestamp**

Natalie Boot

natalie.boot@uk.lucideon.com

Placeholder

Lucideon Limited

Security Level: Email, Account Authentication
(Required), Authentication*Natalie Boot*

Sent: 27-Sep-23 | 11:15

Viewed: 27-Sep-23 | 11:15

Signed: 27-Sep-23 | 11:15

Signature Adoption: Pre-selected Style

Signature ID:

90369E90-4813-4123-B65D-5E8FBD375BF3

Using IP Address: 86.188.245.148

With Signing Authentication via DocuSign password

With Signing Reasons (on each tab):

I have reviewed this document

Electronic Record and Signature Disclosure:

Not Offered via DocuSign

In Person Signer Events**Signature****Timestamp****Editor Delivery Events****Status****Timestamp****Agent Delivery Events****Status****Timestamp****Intermediary Delivery Events****Status****Timestamp****Certified Delivery Events****Status****Timestamp****Carbon Copy Events****Status****Timestamp****Witness Events****Signature****Timestamp****Notary Events****Signature****Timestamp****Envelope Summary Events****Status****Timestamps**

Envelope Sent

Hashed/Encrypted

27-Sep-23 | 11:15

Certified Delivered

Security Checked

27-Sep-23 | 11:15

Signing Complete

Security Checked

27-Sep-23 | 11:15

Completed

Security Checked

27-Sep-23 | 11:15

Payment Events**Status****Timestamps**

PHARMACEUTICAL ANALYSIS REPORT

LUCIDEON

insight creating advantage

Flexible Medical Packaging

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mr. Luka Davies

Report of Tests on: ClearKlens IPA

Sample Description: Sample Code: Fmp23223 57853

Lucideon Sample Number: UK233279-24774

Lucideon Report Number: UK233279-24774/ETEP **Issue Number:** 1

Date Logged: 04-Sep-2023 **Order Number:** 406213

Date Reported: 15-Sep-2023 **Date(s) of Test(s):** 12-Sep-2023 to 12-Sep-2023

Endotoxin Test (EP)

2.6.14 Bacterial Endotoxins - Method C - Turbidimetric Kinetic Method

Test Results:

The test results meet the EP/USP criteria: Yes

Result: Pass (<0.2000 EU/ml)

Tests carried out in accordance with cGMP

Testing performed at the Brooms Road, Stone facility in compliance with GMP, pending GMP certification.

End of Test Report

DocuSigned by:

Natalie Boot



Signer Name: Natalie Boot
Signing Reason: I have reviewed this document
Signing Time: 15 September 2023 | 13:43 BST

90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

Senior Business Support Administrator

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited
Queens Road, Penkhull
Stoke-on-Trent
Staffordshire ST4 7LQ

T +44 (0)1782 764428
enquiries@lucideon.com
www.lucideon.com

Certificate Of Completion

Envelope Id: 3ACC80839CC941318BE7601EE81E48E0

Status: Completed

Subject: Sign

Source Envelope:

Document Pages: 1

Signatures: 1

Envelope Originator:

Certificate Pages: 1

Initials: 0

Natalie Boot

AutoNav: Enabled

Queens Road

Envelopeld Stamping: Disabled

Stoke-on-Trent, Staffordshire ST4 7LQ

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Natalie.Boot@uk.lucideon.com

IP Address: 86.188.245.148

Record Tracking

Status: Original

Holder: Natalie Boot

Location: DocuSign

15-Sep-23 | 13:41

Natalie.Boot@uk.lucideon.com

Signer Events**Signature****Timestamp**

Natalie Boot

natalie.boot@uk.lucideon.com

Placeholder

Lucideon Limited

Security Level: Email, Account Authentication
(Required), Authentication, Logged in*Natalie Boot*

Sent: 15-Sep-23 | 13:42

Viewed: 15-Sep-23 | 13:42

Signed: 15-Sep-23 | 13:43

Signature Adoption: Pre-selected Style

Signature ID:

90369E90-4813-4123-B65D-5E8FBD375BF3

Using IP Address: 86.188.245.148

With Signing Authentication via DocuSign password

With Signing Reasons (on each tab):

I have reviewed this document

Electronic Record and Signature Disclosure:

Not Offered via DocuSign

In Person Signer Events**Signature****Timestamp****Editor Delivery Events****Status****Timestamp****Agent Delivery Events****Status****Timestamp****Intermediary Delivery Events****Status****Timestamp****Certified Delivery Events****Status****Timestamp****Carbon Copy Events****Status****Timestamp****Witness Events****Signature****Timestamp****Notary Events****Signature****Timestamp****Envelope Summary Events****Status****Timestamps**

Envelope Sent

Hashed/Encrypted

15-Sep-23 | 13:42

Certified Delivered

Security Checked

15-Sep-23 | 13:42

Signing Complete

Security Checked

15-Sep-23 | 13:43

Completed

Security Checked

15-Sep-23 | 13:43

Payment Events**Status****Timestamps**