

CERTIFICATE OF ANALYSIS

Date issue: 06 November 2023

| | | | |
|------------------------|------------------------------------|---|------------------------------------|
| Product Name | CLEARLENs IPA VH1 | | |
| Product Code | <input type="checkbox"/> 101105062 | <input checked="" type="checkbox"/> 101105063 | <input type="checkbox"/> 101105064 |
| Batch Number | FMP23285 | 58574 | |
| Production Date | 12/10/2023 | | |
| Expiration Date | EXP 12/10/2025 | | |

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product

| Test | Test Method | Specification | UOM | Results |
|-------------------------|-------------|-------------------------|-------|-------------------------|
| Appearance | Visual | Clear Colourless Liquid | NA | Clear Colourless Liquid |
| Specific Gravity (20°C) | DM004 | 0.872 0.883 | g/cm3 | 0.875 |

Control of the Sterility of the product:

| Test | Test Method | Specification | Conformity | Reference No: |
|-----------------------------|--|-------------------|------------|----------------|
| Sterilization | Gamma Irradiation | 25.0 - 45.0 (kGy) | YES | 58574 |
| Sterility Certificate | Sterility by Membrane Filtration EP 9.0 2.6.1, USP 42<71> & JP XVII 4.06 | No Growth | YES | UK234055-30664 |
| 2.6.14 Bacterial Endotoxins | Method C - Turbidimetric Kinetic Method (EP/USP Criteria) | <0.2 EU/mL | YES | UK234055-30665 |

| | | | |
|---|--|---------------------------|------------|
|  | Date of released on behalf of Diversey's Manufacturing Location: | Testers: | |
| | | Sabcho Svetoslavov | 06/11/2023 |
| | | Angelika Pietraszko | 06/11/2023 |
| | | Quality Control Inspector | |
| | | Olga Kirchner | 29/11/2023 |

The analysis results above could change over time and in function of the storage temperature. It is imperative to store the products according to the recommended conditions indicated in the SDS.

End of certificate of analysis

Certificate of Processing

STERIGENICS Seymour Link Road Woodthorpe Mastin Moor
 TEL (0)1246 561230 FAX www.sterigenics.com

R55480102

10/30/2023 10:39:11 GMT
 Page 1 of 1

| | | | | | |
|-----------------------|---------------------------------------|-----------------------------|-------------------------------|--------------------------------|----------------|
| Customer Name: | FLEXIBLE MED. GBP UK LANCASTER | Processing Facility: | Markham Vale | Work Order # | 3440010 |
| P.O.# | 406620 | | | Sales Order # | 3420528 |
| 25 - 45 kGy | | Gamma Irradiation | Irradiation Date/Time: | 10/28/2023 18:46:39 GMT | |

| SO Line # | Qty | UOM | Customer Item Number | Customer Item Description | Customer Lot Number | Customer Load Number |
|-----------|-------------|-----------|----------------------|-------------------------------|---------------------|----------------------|
| 101.000 | 538 | BX | 101105062 | Diversey Clearklens IPA 900ml | FMP23294 | 58575/STR002199 |
| | Dose Map | | 302_0112 | RF: 13.5A3, AF Min: 0.717 | | |
| 102.000 | 459 | BX | 101105063 | Clearklens IPA 900 mls | FMP23285 | 58574/STR002201 |
| | Dose Map | | 302_0112 | RF: 13.5A3, AF Min: 0.717 | | |
| 103.000 | 3 | BX | 101105063_SAMPLE | Clearklens IPA 900 mls | FMP23285 | 58574/STR002201 |
| | Dose Map | | 302_0112 | RF: 13.5A3, AF Min: 0.717 | | |
| | 1000 | BX | Total | | | |

Quality Test Summary

| Op# | Quality Test Description | Minimum Spec | Maximum Spec | Result | Pass/Fail | -----Signed By----- User | Date /Time |
|--------|--------------------------|------------------|--------------|----------|-----------|-----------------------------|-------------------------|
| 450.00 | Minimum Dose | 25.0 kGy | 45.0 kGy | 27.6 KGY | Pass | JATKINSON | 10/29/2023 17:43:44 GMT |
| | | Reason Code Test | | | | JOE ATKINSON | |
| 450.00 | Maximum Dose | 25.0 kGy | 45.0 kGy | 39.2 KGY | Pass | JATKINSON | 10/29/2023 17:44:09 GMT |
| | | Reason Code Test | | | | JOE ATKINSON | |

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: CLAIRE CICALA
 Reason: Work Order Completions

Date: 10/30/2023 10:38:17 GMT

R55480102

10/23/2023 9:48:40 GMT
Page 1 of 1

| | | | | | |
|-----------------------|---------------------------------------|-----------------------------|-------------------------------|--------------------------------|----------------|
| Customer Name: | FLEXIBLE MED. GBP UK LANCASTER | Processing Facility: | Markham Vale | Work Order # | 3432920 |
| P.O.# | 406540 | | | Sales Order # | 3412270 |
| | 25 - 45 kGy | Gamma Irradiation | Irradiation Date/Time: | 10/21/2023 18:16:17 GMT | |

| SO Line # | Qty | UOM | Customer Item Number | Customer Item Description | Customer Lot Number | Customer Load Number |
|-----------|------------|-----------|----------------------|---------------------------|---------------------|----------------------|
| 101.000 | 975 | BX | 101105063 | Clearklens IPA 900 mls | FMP23285 | 58574/STR002201 |
| | | | Dose Map | RF: 13.5A3, AF Min: 0.717 | | |
| | 975 | BX | Total | | | |

Quality Test Summary

| Op# | Quality Test Description | Minimum Spec | Maximum Spec | Result | Pass/Fail | -----Signed By----- | |
|--------|--------------------------|------------------|--------------|----------|-----------|---------------------|-------------------------|
| | | | | | | User | Date /Time |
| 450.00 | Minimum Dose | 25.0 kGy | 45.0 kGy | 26.8 KGY | Pass | PSAXTON | 10/22/2023 04:33:26 GMT |
| | | Reason Code Test | | | | PAUL SAXTON | |
| 450.00 | Maximum Dose | 25.0 kGy | 45.0 kGy | 38.6 KGY | Pass | PSAXTON | 10/22/2023 04:33:44 GMT |
| | | Reason Code Test | | | | PAUL SAXTON | |

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: STEVEN WHELAN
Reason: Work Order Completions

Date: 10/23/2023 09:47:59 GMT

PHARMACEUTICAL ANALYSIS REPORT

Flexible Medical Packaging

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mrs. Olga Kirchner

Report of Tests on: ClearKlens IPA

Sample Description: Sample Code: Fmp23285 58574

Lucideon Sample Number: UK234055-30664

Lucideon Report Number: UK234055-30664/MFEP **Issue Number:** 1

Date Logged: 07-Nov-2023 **Order Number:** 406739

Date Reported: 28-Nov-2023 **Date(s) of Test(s):** 09-Nov-2023 to 23-Nov-2023

Sterility Testing
Membrane Filtration EP

Test Results:

Result: Pass

The test results meet the EP/USP criteria: Yes

Tests carried out in accordance with cGMP

End of Test Report

DocuSigned by:

Natalie Boot



Signer Name: Natalie Boot
Signing Reason: I have reviewed this document
Signing Time: 28 November 2023 | 15:10 GMT

90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

Senior Business Support Administrator

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited
Queens Road, Penkhull
Stoke-on-Trent
Staffordshire, ST4 7LQ, UK
T +44 (0)1785 331874
query@lucideon.com
www.lucideon.com
Reg. England 1960455

Certificate Of Completion

Envelope Id: EAA55402C5144793B3BB72EBE73B7ABC

Status: Completed

Subject: sign

Source Envelope:

Document Pages: 1

Signatures: 1

Envelope Originator:

Certificate Pages: 1

Initials: 0

Natalie Boot

AutoNav: Enabled

Queens Road

Envelopeld Stamping: Disabled

Stoke-on-Trent, Staffordshire ST4 7LQ

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Natalie.Boot@uk.lucideon.com

IP Address: 86.188.222.148

Record Tracking

Status: Original

Holder: Natalie Boot

Location: DocuSign

28-Nov-23 | 15:09

Natalie.Boot@uk.lucideon.com

Signer Events**Signature****Timestamp**

Natalie Boot

natalie.boot@uk.lucideon.com

Placeholder

Lucideon Limited

Security Level: Email, Account Authentication
(Required), Authentication, Logged in*Natalie Boot*

Sent: 28-Nov-23 | 15:10

Viewed: 28-Nov-23 | 15:10

Signed: 28-Nov-23 | 15:10

Signature Adoption: Pre-selected Style

Signature ID:

90369E90-4813-4123-B65D-5E8FBD375BF3

Using IP Address: 86.188.222.148

With Signing Authentication via DocuSign password

With Signing Reasons (on each tab):

I have reviewed this document

Electronic Record and Signature Disclosure:

Not Offered via DocuSign

In Person Signer Events**Signature****Timestamp****Editor Delivery Events****Status****Timestamp****Agent Delivery Events****Status****Timestamp****Intermediary Delivery Events****Status****Timestamp****Certified Delivery Events****Status****Timestamp****Carbon Copy Events****Status****Timestamp****Witness Events****Signature****Timestamp****Notary Events****Signature****Timestamp****Envelope Summary Events****Status****Timestamps**

Envelope Sent

Hashed/Encrypted

28-Nov-23 | 15:10

Certified Delivered

Security Checked

28-Nov-23 | 15:10

Signing Complete

Security Checked

28-Nov-23 | 15:10

Completed

Security Checked

28-Nov-23 | 15:10

Payment Events**Status****Timestamps**

PHARMACEUTICAL ANALYSIS REPORT

Flexible Medical Packaging

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mrs. Olga Kirchner

Report of Tests on: ClearKlens IPA

Sample Description: Sample Code: Fmp23285 58574

Lucideon Sample Number: UK234055-30665

Lucideon Report Number: UK234055-30665/ETEP **Issue Number:** 1

Date Logged: 07-Nov-2023 **Order Number:** 406739

Date Reported: 17-Nov-2023 **Date(s) of Test(s):** 16-Nov-2023 to 16-Nov-2023

Endotoxin Test (EP)

2.6.14 Bacterial Endotoxins - Method C - Turbidimetric Kinetic Method


Test Results:

The test results meet the EP/USP criteria: Yes

Result: Pass (<0.2000 EU/ml)

Tests carried out in accordance with cGMP

End of Test Report

DocuSigned by:
Natalie Boot
 Signer Name: Natalie Boot
Signing Reason: I have reviewed this document
Signing Time: 17 November 2023 | 12:34 GMT
90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

Senior Business Support Administrator

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited
Queens Road, Penkhull
Stoke-on-Trent
Staffordshire, ST4 7LQ, UK
T +44 (0)1785 331874
query@lucideon.com
www.lucideon.com
Reg. England 1960455

Certificate Of Completion

Envelope Id: 0D1E069B337B405781210A6391150E03

Status: Completed

Subject: sign

Source Envelope:

Document Pages: 1

Signatures: 1

Envelope Originator:

Certificate Pages: 1

Initials: 0

Natalie Boot

AutoNav: Enabled

Queens Road

Envelopeld Stamping: Disabled

Stoke-on-Trent, Staffordshire ST4 7LQ

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Natalie.Boot@uk.lucideon.com

IP Address: 86.188.245.148

Record Tracking

Status: Original

Holder: Natalie Boot

Location: DocuSign

17-Nov-23 | 12:33

Natalie.Boot@uk.lucideon.com

Signer Events**Signature****Timestamp**

Natalie Boot

natalie.boot@uk.lucideon.com

Placeholder

Lucideon Limited

Security Level: Email, Account Authentication
(Required), Authentication*Natalie Boot*

Sent: 17-Nov-23 | 12:34

Viewed: 17-Nov-23 | 12:34

Signed: 17-Nov-23 | 12:34

Signature Adoption: Pre-selected Style

Signature ID:

90369E90-4813-4123-B65D-5E8FBD375BF3

Using IP Address: 86.188.222.148

With Signing Authentication via DocuSign password

With Signing Reasons (on each tab):

I have reviewed this document

Electronic Record and Signature Disclosure:

Not Offered via DocuSign

In Person Signer Events**Signature****Timestamp****Editor Delivery Events****Status****Timestamp****Agent Delivery Events****Status****Timestamp****Intermediary Delivery Events****Status****Timestamp****Certified Delivery Events****Status****Timestamp****Carbon Copy Events****Status****Timestamp****Witness Events****Signature****Timestamp****Notary Events****Signature****Timestamp****Envelope Summary Events****Status****Timestamps**

Envelope Sent

Hashed/Encrypted

17-Nov-23 | 12:34

Certified Delivered

Security Checked

17-Nov-23 | 12:34

Signing Complete

Security Checked

17-Nov-23 | 12:34

Completed

Security Checked

17-Nov-23 | 12:34

Payment Events**Status****Timestamps**