



Diversey Europe Operations BV
Maarssebroeksedijk 2
3542 DN Utrecht
The Netherlands

Tel. +31 (0)30 247 6427
www.Diversey.com

CERTIFICATE OF ANALYSIS

Date: 07 December 2023

Product Name	CLEARKLENS CLEANSINALD SS VH9S		
Product Code	101109104		
Batch Number	FMP23341	59242	
Production Date	07/12/2023		
Expiration Date	EXP 07/06/2025		

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product.

Test	Test Method	Limits		Results
		Lower	Upper	
Appearance	Visual	Clear Slightly Yellow Liquid		Clear Slightly Yellow Liquid
pH (neat solution)	DM001	9.0	11.4	10.9
Specific Gravity (20°C)	DM004	0.990	1.010	0.996

On behalf of Diversey site Quality Manger	Name:	Justyna Staron Angelika Pietraszko
	Position	Quality Control Inspector

This document being issued electronically does not bear a signature

COA Template	Version : 04	Date of issuing : March 11th 2019
--------------	--------------	-----------------------------------

STERIS: Gamma Certificate Of Processing

Prepared for: FLEXIBLE MEDICAL PACKAGING LTD (8245)
Gamma Process Run ID 2173-42493A

Product Code	Lot Number	Quantity	UOM
C/SINALD SS 900ml Bottle DV4673	59253- STR002250	5	Case
Validation Reference Number: 4673			

Processing Run Start Date: 25-Nov-2023 6:15 AM

Processing Run End Date: 25-Nov-2023 1:08 PM

Specified Dose Range (kGy):	25.0 - 40.0	Calculated Min Dose (kGy):	29.9
Reference Dose Range (kGy):	27.3 - 36.6	Calculated Max Dose (kGy):	36.4
.			

PO Number: 406932

Product meets Customer specifications; zero nonconformities occurred during this irradiation run.

Gamma Process Run Approval authorized by STERIS

Date/Time: 25-Nov-2023 4:37 PM

Operating facilities are in compliance with applicable regulations providing services under a certified quality system which meets the requirements of FDA QSR, EN/ISO 13485 current certified version, and is in alignment with EN ISO 11137 current certified version

Processing Location

Synergy Health Sterilisation UK
Limited, a STERIS Company
Brunel Close
Drayton Fields Industrial Estate
Daventry
Northants
NN11 8RB
Phone: + 44(0) 1327 706 111

Items irradiated under WO59253 will be used in finish batch FMP23341 59242.

Olga Kirchner

PHARMACEUTICAL ANALYSIS REPORT

Flexible Medical Packaging

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mrs. Olga Kirchner

Report of Tests on: Cleansinald SS

Sample Description: Sample Code: Fmp23341 59242

Lucideon Sample Number: UK234537-34465

Lucideon Report Number: UK234537-34465/MFEP **Issue Number:** 1

Date Logged: 11-Dec-2023 **Order Number:** 407053

Date Reported: 19-Jan-2024 **Date(s) of Test(s):** 04-Jan-2024 to 18-Jan-2024

Sterility Testing
Membrane Filtration EP

Test Results:

Result: Pass

The test results meet the EP/USP criteria: Yes

Tests carried out in accordance with cGMP

End of Test Report

DocuSigned by:

Natalie Boot



Signer Name: Natalie Boot
Signing Reason: I have reviewed this document
Signing Time: 19 January 2024 | 12:28 GMT

90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

Senior Business Support Administrator

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited
Queens Road, Penkhull
Stoke-on-Trent
Staffordshire, ST4 7LQ, UK
T +44 (0)1785 331874
query@lucideon.com
www.lucideon.com
Reg. England 1960455


Certificate Of Completion

Envelope Id: A4C07DB5944D420D8CF688C6C0E87DF9		Status: Completed
Subject: sign		
Source Envelope:		
Document Pages: 1	Signatures: 1	Envelope Originator:
Certificate Pages: 1	Initials: 0	Natalie Boot
AutoNav: Enabled		Queens Road
Envelopeld Stamping: Disabled		Stoke-on-Trent, Staffordshire ST4 7LQ
Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London		Natalie.Boot@uk.lucideon.com
		IP Address: 86.188.222.148

Record Tracking

Status: Original	Holder: Natalie Boot	Location: DocuSign
19-Jan-24 12:26	Natalie.Boot@uk.lucideon.com	

Signer Events	Signature	Timestamp
---------------	-----------	-----------

Natalie Boot		Sent: 19-Jan-24 12:28
natalie.boot@uk.lucideon.com		Viewed: 19-Jan-24 12:28
Placeholder		Signed: 19-Jan-24 12:28
Lucideon Limited		
Security Level: Email, Account Authentication (Required), Authentication, Logged in	Signature Adoption: Pre-selected Style	
	Signature ID:	
	90369E90-4813-4123-B65D-5E8FBD375BF3	
	Using IP Address: 86.188.222.148	
	With Signing Authentication via DocuSign password	
	With Signing Reasons (on each tab):	
	I have reviewed this document	

Electronic Record and Signature Disclosure:
Not Offered via DocuSign

In Person Signer Events	Signature	Timestamp
-------------------------	-----------	-----------

Editor Delivery Events	Status	Timestamp
------------------------	--------	-----------

Agent Delivery Events	Status	Timestamp
-----------------------	--------	-----------

Intermediary Delivery Events	Status	Timestamp
------------------------------	--------	-----------

Certified Delivery Events	Status	Timestamp
---------------------------	--------	-----------

Carbon Copy Events	Status	Timestamp
--------------------	--------	-----------

Witness Events	Signature	Timestamp
----------------	-----------	-----------

Notary Events	Signature	Timestamp
---------------	-----------	-----------

Envelope Summary Events	Status	Timestamps
-------------------------	--------	------------

Envelope Sent	Hashed/Encrypted	19-Jan-24 12:28
Certified Delivered	Security Checked	19-Jan-24 12:28
Signing Complete	Security Checked	19-Jan-24 12:28
Completed	Security Checked	19-Jan-24 12:28

Payment Events	Status	Timestamps
----------------	--------	------------