



Diversey Europe Operations BV  
Maarssenbroeksedijk 2  
3542 DN Utrecht  
The Netherlands

Tel. +31 (0)30 247 6427  
www.Diversey.com

## CERTIFICATE OF ANALYSIS

Date: 12 December 2023

Product Name	CLEARKLENS TEGO 2000SC VH25		
Product Code	100868202		
Batch Number	FMP23327	59436	
Production Date	23/11/2023		
Expiration Date	EXP 23/11/2026		

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product.

Test	Test Method	Limits		Results
		Lower	Upper	
Appearance	Visual	Clear Slightly Yellow Liquid		Clear Slightly Yellow Liquid
Specific Gravity (20°C)	DM004	0.993	1.003	1.000
pH (neat solution)	DM001	7.5	8.5	8.2

On behalf of Diversey site Quality Manger	Name:	Justyna Staron      Angelika Pietraszko
	Position	Quality Control Inspector

*This document being issued electronically does not bear a signature*

COA Template	Version : 04	Date of issuing : March 11th 2019
--------------	--------------	-----------------------------------

STERIS: Gamma Certificate Of Processing

Prepared for: FLEXIBLE MEDICAL PACKAGING LTD (8245)  
Gamma Process Run ID 2173-42673A

Product Code	Lot Number	Quantity	UOM
TEGO 2000SC DV4724	59436 - STR001930	83	Case
Validation Reference Number: 4724			
TEGO 2000SC DV4724	59436 - STR001930, 2 X SAMPLES	2	Case
Validation Reference Number: 4724			

Processing Run Start Date: 06-Dec-2023 8:53 PM  
Processing Run End Date: 07-Dec-2023 5:43 AM

Specified Dose Range (kGy):	25.0 - 45.0	Calculated Min Dose (kGy):	31.7
Reference Dose Range (kGy):	29.4 - 40.5	Calculated Max Dose (kGy):	41.7
.			

PO Number: 406954

Product meets Customer specifications; zero nonconformities occurred during this irradiation run.

**Gamma Process Run Approval authorized by STERIS**

Date/Time: 07-Dec-2023 6:55 AM

Operating facilities are in compliance with applicable regulations providing services under a certified quality system which meets the requirements of FDA QSR, EN/ISO 13485 current certified version, and is in alignment with EN ISO 11137 current certified version

Processing Location  
Synergy Health Sterilisation UK  
Limited, a STERIS Company  
Brunel Close  
Drayton Fields Industrial Estate  
Daventry  
Northants  
NN11 8RB  
Phone: + 44(0) 1327 706 111

# PHARMACEUTICAL ANALYSIS REPORT

## Flexible Medical Packaging

Unit 8  
Hightown  
White Cross Industrial Estate  
Lancaster  
LA1 4XS

FAO: Mrs. Olga Kirchner

**Report of Tests on:** Tego 2000SC

**Sample Description:** Sample Code: Fmp23327 59436

**Lucideon Sample Number:** UK24127-1139

**Lucideon Report Number:** UK24127-1139/MFEP

**Issue Number:** 1

**Date Logged:** 12-Jan-2024

**Order Number:** 407251

**Date Reported:** 13-Feb-2024

**Date(s) of Test(s):** 25-Jan-2024 to 12-Feb-2024

### Sterility Testing

Membrane Filtration EP

## Test Results:

The test results meet the EP/USP criteria: Yes

Result: Pass

Tests carried out in accordance with cGMP

## End of Test Report

DocuSigned by:

*Tracy Wheeler*

Signer Name: Tracy Wheeler

Signing Reason: I have reviewed this document

Signing Time: 13 February 2024 | 15:44 GMT

D85AB0246E184F31821E2EC1AFA6CA90

Tracy Wheeler

**Business Support Administrator**

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited  
Queens Road, Penkhull  
Stoke-on-Trent  
Staffordshire, ST4 7LQ, UK  
T +44 (0)1785 331874  
query@lucideon.com  
www.lucideon.com  
Reg. England 1960455


Certificate Of Completion

Envelope Id: 7464ACC63A0D4F8BA6998E2BEC836CCA		Status: Completed
Subject: Email		
Source Envelope:		
Document Pages: 1	Signatures: 1	Envelope Originator:
Certificate Pages: 1	Initials: 0	Tracy Wheeler
AutoNav: Enabled		Queens Road
Envelopeld Stamping: Disabled		Stoke-on-Trent, Staffordshire ST4 7LQ
Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London		Tracy.Wheeler@uk.lucideon.com
		IP Address: 86.188.245.148

Record Tracking

Status: Original	Holder: Tracy Wheeler	Location: DocuSign
13-Feb-24   15:41	Tracy.Wheeler@uk.lucideon.com	

Signer Events	Signature	Timestamp
---------------	-----------	-----------

Tracy Wheeler		Sent: 13-Feb-24   15:44
tracy.wheeler@uk.lucideon.com		Viewed: 13-Feb-24   15:44
Placeholder		Signed: 13-Feb-24   15:44
Lucideon Limited		
Security Level: Email, Account Authentication (Required), Authentication, Logged in	Signature Adoption: Pre-selected Style	
	Signature ID:	
	D85AB024-6E18-4F31-821E-2EC1AFA6CA90	
	Using IP Address: 86.188.245.148	
	With Signing Authentication via DocuSign password	
	With Signing Reasons (on each tab):	
	I have reviewed this document	

Electronic Record and Signature Disclosure:  
Not Offered via DocuSign

In Person Signer Events	Signature	Timestamp
-------------------------	-----------	-----------

Editor Delivery Events	Status	Timestamp
------------------------	--------	-----------

Agent Delivery Events	Status	Timestamp
-----------------------	--------	-----------

Intermediary Delivery Events	Status	Timestamp
------------------------------	--------	-----------

Certified Delivery Events	Status	Timestamp
---------------------------	--------	-----------

Carbon Copy Events	Status	Timestamp
--------------------	--------	-----------

Witness Events	Signature	Timestamp
----------------	-----------	-----------

Notary Events	Signature	Timestamp
---------------	-----------	-----------

Envelope Summary Events	Status	Timestamps
-------------------------	--------	------------

Envelope Sent	Hashed/Encrypted	13-Feb-24   15:44
Certified Delivered	Security Checked	13-Feb-24   15:44
Signing Complete	Security Checked	13-Feb-24   15:44
Completed	Security Checked	13-Feb-24   15:44

Payment Events	Status	Timestamps
----------------	--------	------------