



Diversey Europe Operations BV  
Maarssebroeksedijk 2  
3542 DN Utrecht  
The Netherlands

Tel. +31 (0)30 247 6427  
www.Diversey.com

## CERTIFICATE OF ANALYSIS

Date: 24 October 2024

<b>Product Name</b>	CLEARKLENS CLEANSINALD SS VH9S		
<b>Product Code</b>	100848254		
<b>Batch Number</b>	FMP24298	61134	
<b>Production Date</b>	24/10/2024		
<b>Expiration Date</b>	EXP 24/04/2026		

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product.

Test	Test Method	Limits		Results
		Lower	Upper	
Appearance	Visual	Clear Slightly Yellow Liquid		Clear Slightly Yellow Liquid
pH (neat solution)	DM001	9.0	11.4	10.9
Specific Gravity (20°C)	DM004	0.990	1.010	0.996

On behalf of Diversey site Quality Manger	<b>Name:</b>	<i>Justyna Staron      Angelika Pietraszko</i>
	<b>Position</b>	Quality Control Inspector

*This document being issued electronically does not bear a signature*

COA Template	Version : 04	Date of issuing : March 11th 2019
--------------	--------------	-----------------------------------

# STERIS: Gamma Certificate Of Processing

Prepared For FLEXIBLE MEDICAL PACKAGING LTD (8245)

Gamma Process Run ID 2173-50870A

---

<u>Product Code</u>	<u>Lot Number</u>	<u>Quantity</u>	<u>UOM</u>
C/SINALD SS 900ml Bottle DV4673	61131	13	Case
Validation Reference Number: 4673			

---

Processing Run Start Date 05-Oct-2024 6:16 PM

Processing Run End Date 06-Oct-2024 2:05 AM

---

Specified Dose Range (kGy)	25.0 - 40.0	Calculated Min Dose (kGy)	29.0
Reference Dose Range (kGy)	27.3 - 36.6	Calculated Max Dose (kGy)	36.4

---

PO Number: 409112

Product meets Customer specifications; zero nonconformities occurred during this irradiation run.

**Gamma Process Run Approval authorized by STERIS**

DateTime Esigned 06-Oct-2024 3:18 AM

Operating facilities are in compliance with applicable regulations providing services under a certified quality system which meets the requirements of FDA QSR, EN/ISO 13485 current certified version, and is in alignment with EN ISO 11137 current certified version

## Processing Location

Synergy Health Sterilisation UK  
Limited, a STERIS Company  
Brunel Close  
Drayton Fields Industrial Estate  
Daventry  
Northants  
NN11 8RB  
Phone: + 44(0) 1327 706 111

Items irradiated under WO61131 will be used in finished batch Fmp24298 61134.

Olga Kirchner

# PHARMACEUTICAL ANALYSIS REPORT

## Flexible Medical Packaging

Unit 8  
Hightown  
White Cross Industrial Estate  
Lancaster  
LA1 4XS

FAO: Mrs. Olga Kirchner

**Report of Tests on:** Cleansinald SS

**Sample Description:** Sample Code: FMP24298 61134

**Lucideon Sample Number:** UK243688-25107

**Lucideon Report Number:** UK243688-25107/MFEP **Issue Number:** 1

**Date Logged:** 01-Nov-2024 **Order Number:** 409335

**Date Reported:** 19-Nov-2024 **Date(s) of Test(s):** 04-Nov-2024 to 18-Nov-2024

**Sterility Testing**  
**Membrane Filtration EP**

### Test Results:

Result: Pass

The test results meet the EP/USP criteria: Yes

Tests carried out in accordance with cGMP

**End of Test Report**

Signed by:

*Natalie Boot*



Signer Name: Natalie Boot  
Signing Reason: I have reviewed this document  
Signing Time: 19 November 2024 | 14:57 GMT

90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot  
**Senior Business Support Administrator**

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited T +44 (0)1785 331874  
Stone Business Park query@lucideon.com  
Brooms Road, Stone www.lucideon.com  
Staffordshire, ST15 0SH, UK Reg. England 1960455

## Certificate Of Completion

Envelope Id: 33F451EB-4839-448B-97EC-3D7AAA7F7F75

Status: Completed

Subject: Complete with Docusign: DataWindow.xps

Source Envelope:

Document Pages: 4

Signatures: 4

Envelope Originator:

Certificate Pages: 2

Initials: 0

Natalie Boot

AutoNav: Enabled

Queens Road

Envelopeld Stamping: Disabled

Stoke-on-Trent, Staffordshire ST4 7LQ

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Natalie.Boot@uk.lucideon.com

IP Address: 86.188.245.148

## Record Tracking

Status: Original

Holder: Natalie Boot

Location: DocuSign

19-Nov-24 | 14:54

Natalie.Boot@uk.lucideon.com

## Signer Events

### Signature

### Timestamp

Natalie Boot

natalie.boot@uk.lucideon.com

Placeholder

Lucideon Limited

Security Level: Email, Account Authentication (Required), Authentication

Sent: 19-Nov-24 | 14:56

Viewed: 19-Nov-24 | 14:57

Signed: 19-Nov-24 | 14:57

Signature Adoption: Pre-selected Style

Signature ID:

90369E90-4813-4123-B65D-5E8FBD375BF3

Using IP Address: 86.188.245.148

With Signing Authentication via DocuSign password

With Signing Reasons (on each tab):

I have reviewed this document

I have reviewed this document

I have reviewed this document

I have reviewed this document

## Electronic Record and Signature Disclosure:

Not Offered via DocuSign

## In Person Signer Events

### Signature

### Timestamp

## Editor Delivery Events

### Status

### Timestamp

## Agent Delivery Events

### Status

### Timestamp

## Intermediary Delivery Events

### Status

### Timestamp

## Certified Delivery Events

### Status

### Timestamp

## Carbon Copy Events

### Status

### Timestamp

## Witness Events

### Signature

### Timestamp

## Notary Events

### Signature

### Timestamp

## Envelope Summary Events

### Status

### Timestamps

Envelope Sent

Hashed/Encrypted

19-Nov-24 | 14:56

Certified Delivered

Security Checked

19-Nov-24 | 14:57

Signing Complete

Security Checked

19-Nov-24 | 14:57

Completed

Security Checked

19-Nov-24 | 14:57

**Payment Events**

**Status**

**Timestamps**