



**Factory:** Diversey Italy Production S.r.l  
**Address:** SS 235 Crema-Lodi  
Bagnolo Cremasco  
**Post Code:** 26010  
**Country:** Italy  
**Tel:** +39 0373 205 1  
**Fax:** +39 0373 205 351

## CERTIFICATE OF ANALYSIS

Date: 09/03/2017

|                        |                                   |
|------------------------|-----------------------------------|
| <b>Product Name</b>    | <b>DI CK Multi VH46 20L W2199</b> |
| <b>Product Code</b>    | <b>100845236</b>                  |
| <b>Batch Number</b>    | <b>BAG 567979</b>                 |
| <b>Production Date</b> | <b>08/03/2017</b>                 |
| <b>Expiration Date</b> | <b>08/03/2019</b>                 |

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product.

| <b>Test</b>                                   | <b>Test Method</b> | <b>Limits</b>           |              | <b>Results</b> |
|---|--------------------|-------------------------|--------------|----------------|
|   |                    | <b>Lower</b>            | <b>Upper</b> |                |
| Appearance                                    | PAG183G18(001)     | Clear colourless liquid |              | Conform        |
| Free Alkalinity (% Na <sub>2</sub> O pH 8,2)  | DM-002             | 0.7 - 1.3               |              | 1,1            |
| Total Alkalinity (% Na <sub>2</sub> O pH 3,6) | DM-002             | 0.9 - 1.4               |              | 1.1            |
| Density at 20°C                               | DM-004             | 0.970 - 1.010           |              | 0.995          |
| pH for 1% Solution                            | DM-001             | 10.0 - 12.0             |              | 11,0           |

|   |          |                 |
|---|----------|-----------------|
| On behalf of Diversey site<br>Quality Manager | Name     | Noemi Cazzamali |
|   | Position | GMP Specialist  |

*This document being issued electronically does not bear a signature*

|                                   |                        |                        |
|-----------------------------------|------------------------|------------------------|
| Template ref. AL01-PQ 301 10/2012 | Document revision : 01 | Revision date: 10/2012 |
|-----------------------------------|------------------------|------------------------|