



**Factory:** Diversey Italy Production S.r.l  
**Address:** SS 235 Crema-Lodi  
Bagnolo Cremasco  
**Post Code:** 26010  
**Country:** Italy  
**Tel:** +39 0373 205 1  
**Fax:** +39 0373 205 351

## CERTIFICATE OF ANALYSIS

Date: 05/12/2017

|                        |                                     |
|------------------------|-------------------------------------|
| <b>Product Name</b>    | <b>DI ClearKlens Brite VH3 200L</b> |
| <b>Product Code</b>    | <b>7513356</b>                      |
| <b>Batch Number</b>    | <b>BAG 595546</b>                   |
| <b>Production Date</b> | <b>05/12/2017</b>                   |
| <b>Expiration Date</b> | <b>05/12/2019</b>                   |

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product.

| <b>Test</b>                  | <b>Test Method</b> | <b>Limits<br/>Lower - Upper</b> | <b>Results</b> |
|------------------------------|--------------------|---------------------------------|----------------|
| Appearance                   | PAG183G18(001)     | Clear liquid                    | Conform        |
| Free Acidity (-%Na2O pH3,6)  | DM-003             | 13,0 - 15,5                     | 14,0           |
| Total Acidity (-%Na2O pH8,2) | DM-003             | 27,0 - 29,5                     | 28,1           |
| pH 1% solution               | DM-001             | 3 max                           | 1,9            |
| Relative Density at 20°C     | DM-004             | 1.290 - 1.310                   | 1,301          |

|                                               |          |                 |
|-----------------------------------------------|----------|-----------------|
| On behalf of Diversey site<br>Quality Manager | Name     | Noemi Cazzamali |
|                                               | Position | GMP Specialist  |

*This document being issued electronically does not bear a signature*

|                                   |                        |                        |
|-----------------------------------|------------------------|------------------------|
| Template ref. AL01-PQ 301 10/2012 | Document revision : 01 | Revision date: 10/2012 |
|-----------------------------------|------------------------|------------------------|