



**Factory:** Diversey Italy Production S.r.l  
**Address:** SS 235 Crema-Lodi  
Bagnolo Cremasco  
**Post Code:** 26010  
**Country:** Italy  
**Tel:** +39 0373 205 1  
**Fax:** +39 0373 205 317

## CERTIFICATE OF ANALYSIS

Date: 27/01/2020

|                        |                                      |
|------------------------|--------------------------------------|
| <b>Product Name</b>    | DI ClearKlens Prime VH19 900L GB,IRL |
| <b>Product Code</b>    | 6069800                              |
| <b>Batch Number</b>    | 0000668917                           |
| <b>Production Date</b> | 27/01/2020                           |
| <b>Expiration Date</b> | 16/01/2022                           |

This is to certify that the above batch of product has been tested and conforms to manufacturing Quality Control specification for the product.

| Analysis                                        | Methods             | UM | Limits<br>(Lower - Upper) | Results |
|-------------------------------------------------|---------------------|----|---------------------------|---------|
| Appearance                                      | PAG N°183 G18 (001) | -  | Clear yellow liquid       | Conform |
| Free Alkalinity as %Na <sub>2</sub> O<br>pH 8.2 | DM002               | %  | (16,5-19,5)               | 18,2    |
| Relative Density at 20°C                        | DM004               | -  | (1,280-1,310)             | 1,287   |

|                            |           |                  |
|----------------------------|-----------|------------------|
| Quality Manager            | Position: | GMP Specialist   |
| On behalf of Diversey site | Name:     | Noemi Cazzzamali |

*This document being issued electronically does not bear a signature*

|                           |            |                        |
|---------------------------|------------|------------------------|
| Template ref. AL01-PQ 301 | Version 03 | Revision date: 11/2017 |
|---------------------------|------------|------------------------|