



Diversey Europe Operations BV
Maarssenbroeksedijk 2
3542 DN Utrecht
The Netherlands

Tel. +31 (0)30 247 6427
www.Diversey.com

CERTIFICATE OF ANALYSIS

Date 04 May 2023

Product Name	CLEARKLENS DE VH29		
Product Code	101101081		
Batch Number	FMP23103	57015	
Production Date	13/04/2023		
Expiration Date	EPX 13/04/2025		

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product.

Test	Test Method	Limits		Results
		Lower	Upper	
Appearance	Visual	Clear Colourless Liquid		Clear Colourless Liquid
Specific Gravity (20°C)	DM004	0.880	0.888	0.888

On behalf of Diversey site Quality Manger	Name:	Edyta Rodrigues	Natalia Traichel
	Position	Quality Control Inspector	

This document being issued electronically does not bear a signature

COA Template	Version : 02	Date of issuing : November 24th 2017
--------------	--------------	--------------------------------------

R55480102

04/24/2023 10:10:04 GMT
Page 1 of 1

Customer Name:	FLEXIBLE MED. GBP UK LANCASTER	Processing Facility:	Markham Vale	Work Order #	3327585
P.O.#	405024			Sales Order #	3288981
25 - 45 kGy		Gamma Irradiation	Irradiation Date/Time:	04/22/2023 09:31:35 GMT	

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	375	BX	101101081	Diversey Clearklens DE 900ml	FMP23103	57015/STR002096
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
102.000	708	BX	101101081	Diversey Clearklens DE 900ml	FMP23101	57013/STR002096
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
103.000	3	BX	101101081_SAMPLE	Diversey Clearklens DE 900ml	FMP23101	57013/STR002096
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
104.000	164	BX	101101081	Diversey Clearklens DE 900ml	FMP23103	57015/STR002096
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
	1250	BX	Total			

Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By----- User	Date /Time
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.8 KGY	Pass	JYATES	04/23/2023 04:45:46 GMT
		Reason Code Test				JOHN YATES	
450.00	Maximum Dose	25.0 kGy	45.0 kGy	39.4 KGY	Pass	JYATES	04/23/2023 04:46:08 GMT
		Reason Code Test				JOHN YATES	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: CLAIRE CICALA
Reason: Work Order Completions

Date: 04/24/2023 10:01:19 GMT

R55480102

 05/02/2023 7:50:40 GMT
 Page 1 of 1

Customer Name:	FLEXIBLE MED. GBP UK LANCASTER	Processing Facility:	Markham Vale	Work Order #	3330819
P.O.#	405095			Sales Order #	3292749
25 - 45 kGy		Gamma Irradiation	Irradiation Date/Time:	04/29/2023 16:15:23 GMT	

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	169	BX	101101081	Diversey Clearklens DE 900ml	FMP23103	57015/STR002096
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
102.000	3	BX	101101081_SAMPLE	Diversey Clearklens DE 900ml	FMP23103	57015/STR002096
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
103.000	778	BX	101105062	Diversey Clearklens IPA 900ml	FMP23107	57016/STR002199
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
	950	BX	Total			

Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By----- User	Date /Time
450.00	Minimum Dose	25.0 kGy	45.0 kGy	28.3 KGY	Pass	SWARD	04/30/2023 03:26:20 GMT
		Reason Code Test				SIMON WARD	
450.00	Maximum Dose	25.0 kGy	45.0 kGy	40.3 KGY	Pass	SWARD	04/30/2023 03:26:40 GMT
		Reason Code Test				SIMON WARD	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: CLAIRE CICALA
 Reason: Work Order Completions

Date: 05/02/2023 07:49:09 GMT

PHARMACEUTICAL ANALYSIS REPORT

LUCIDEON

insight creating advantage

Flexible Medical Packaging

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mrs.Olga Kirchner

Report of Tests on: ClearKlens DE

Sample Description: Sample Code: Fmp23103 57015

Lucideon Sample Number: UK231643-11378

Lucideon Report Number: UK231643-11378/MFEP **Issue Number:** 1

Date Logged: 09-May-2023 **Order Number:** 405197

Date Reported: 09-Jun-2023 **Date(s) of Test(s):** 18-May-2023 to 01-Jun-2023

Sterility Testing

Membrane Filtration EP

Test Results:

Result: Pass

The test results meet the EP/USP criteria: Yes

Tests carried out in accordance with cGMP

End of Test Report

DocuSigned by:

Natalie Boot



Signer Name: Natalie Boot
Signing Reason: I have reviewed this document
Signing Time: 09 June 2023 | 14:57 BST

90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

Senior Business Support Administrator

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited
Queens Road, Penkhull
Stoke-on-Trent
Staffordshire ST4 7LQ

T +44 (0)1782 764428
enquiries@lucideon.com
www.lucideon.com

Certificate Of Completion

Envelope Id: 848F4D057AF04D6D97B71F8FD7B26399

Status: Completed

Subject: Sign

Source Envelope:

Document Pages: 1

Signatures: 1

Envelope Originator:

Certificate Pages: 1

Initials: 0

Natalie Boot

AutoNav: Enabled

Queens Road

Enveloped Stamping: Disabled

Stoke-on-Trent, Staffordshire ST4 7LQ

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Natalie.Boot@uk.lucideon.com

IP Address: 86.188.245.148

Record Tracking

Status: Original

Holder: Natalie Boot

Location: DocuSign

09-Jun-23 | 14:56

Natalie.Boot@uk.lucideon.com

Signer Events**Signature****Timestamp**

Natalie Boot

natalie.boot@uk.lucideon.com

Placeholder

Lucideon Limited

Security Level: Email, Account Authentication
(Required), Authentication, Logged in*Natalie Boot*

Sent: 09-Jun-23 | 14:57

Viewed: 09-Jun-23 | 14:57

Signed: 09-Jun-23 | 14:57

Signature Adoption: Pre-selected Style

Signature ID:

90369E90-4813-4123-B65D-5E8FBD375BF3

Using IP Address: 86.188.245.148

With Signing Authentication via DocuSign password

With Signing Reasons (on each tab):

I have reviewed this document

Electronic Record and Signature Disclosure:

Not Offered via DocuSign

In Person Signer Events**Signature****Timestamp****Editor Delivery Events****Status****Timestamp****Agent Delivery Events****Status****Timestamp****Intermediary Delivery Events****Status****Timestamp****Certified Delivery Events****Status****Timestamp****Carbon Copy Events****Status****Timestamp****Witness Events****Signature****Timestamp****Notary Events****Signature****Timestamp****Envelope Summary Events****Status****Timestamps**

Envelope Sent

Hashed/Encrypted

09-Jun-23 | 14:57

Certified Delivered

Security Checked

09-Jun-23 | 14:57

Signing Complete

Security Checked

09-Jun-23 | 14:57

Completed

Security Checked

09-Jun-23 | 14:57

Payment Events**Status****Timestamps**

PHARMACEUTICAL ANALYSIS REPORT

LUCIDEON

insight creating advantage

Flexible Medical Packaging

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mrs.Olga Kirchner

Report of Tests on: ClearKlens DE

Sample Description: Sample Code: Fmp23103 57015

Lucideon Sample Number: UK231643-11379

Lucideon Report Number: UK231643-11379/ETEP **Issue Number:** 1

Date Logged: 09-May-2023 **Order Number:** 405197

Date Reported: 19-May-2023 **Date(s) of Test(s):** 10-May-2023 to 10-May-2023

Endotoxin Test (EP)

2.6.14 Bacterial Endotoxins - Method C - Turbidimetric Kinetic Method

Test Results:

The test results meet the EP/USP criteria: Yes

Result: Pass (<0.2000 EU/ml)

Tests carried out in accordance with cGMP

End of Test Report

DocuSigned by:

Natalie Boot



Signer Name: Natalie Boot
Signing Reason: I have reviewed this document
Signing Time: 19 May 2023 | 14:38 BST

90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

Senior Business Support Administrator

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited
Queens Road, Penkhull
Stoke-on-Trent
Staffordshire ST4 7LQ

T +44 (0)1782 764428
enquiries@lucideon.com
www.lucideon.com

Certificate Of Completion

Envelope Id: 61A07D5498694B85987D2FF824094D26

Status: Completed

Subject: Sign

Source Envelope:

Document Pages: 1

Signatures: 1

Envelope Originator:

Certificate Pages: 1

Initials: 0

Natalie Boot

AutoNav: Enabled

Queens Road

Enveloped Stamping: Disabled

Stoke-on-Trent, Staffordshire ST4 7LQ

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Natalie.Boot@uk.lucideon.com

IP Address: 195.11.216.44

Record Tracking

Status: Original

Holder: Natalie Boot

Location: DocuSign

19-May-23 | 14:37

Natalie.Boot@uk.lucideon.com

Signer Events**Signature****Timestamp**

Natalie Boot

natalie.boot@uk.lucideon.com

Placeholder

Lucideon Limited

Security Level: Email, Account Authentication
(Required), Authentication*Natalie Boot*

Sent: 19-May-23 | 14:37

Viewed: 19-May-23 | 14:38

Signed: 19-May-23 | 14:38

Signature Adoption: Pre-selected Style

Signature ID:

90369E90-4813-4123-B65D-5E8FBD375BF3

Using IP Address: 195.11.216.44

With Signing Authentication via DocuSign password

With Signing Reasons (on each tab):

I have reviewed this document

Electronic Record and Signature Disclosure:

Not Offered via DocuSign

In Person Signer Events**Signature****Timestamp****Editor Delivery Events****Status****Timestamp****Agent Delivery Events****Status****Timestamp****Intermediary Delivery Events****Status****Timestamp****Certified Delivery Events****Status****Timestamp****Carbon Copy Events****Status****Timestamp****Witness Events****Signature****Timestamp****Notary Events****Signature****Timestamp****Envelope Summary Events****Status****Timestamps**

Envelope Sent

Hashed/Encrypted

19-May-23 | 14:37

Certified Delivered

Security Checked

19-May-23 | 14:38

Signing Complete

Security Checked

19-May-23 | 14:38

Completed

Security Checked

19-May-23 | 14:38

Payment Events**Status****Timestamps**