



Diversey Europe Operations BV  
Maarssenbroeksedijk 2  
3542 DN Utrecht  
The Netherlands

Tel. +31 (0)30 247 6427  
www.Diversey.com

## CERTIFICATE OF ANALYSIS

Date 18 May 2023

Product Name	CLEARKLENS DE VH29		
Product Code	101101081		
Batch Number	FMP23123	57018	
Production Date	03/05/2023		
Expiration Date	EXP 03/05/2025		

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product.

Test	Test Method	Limits		Results
		Lower	Upper	
Appearance	Visual	Clear Colourless Liquid		Clear Colourless Liquid
Specific Gravity (20°C)	DM004	0.880	0.888	0.883

On behalf of Diversey site Quality Manger	Name:	Natalia Traichel    Angelika Partynska
	Position	Quality Control Inspector

*This document being issued electronically does not bear a signature*

COA Template	Version : 02	Date of issuing : November 24th 2017
--------------	--------------	--------------------------------------

R55480102

05/15/2023 12:42:21 GMT

Page 1 of 1

<b>Customer Name:</b>	FLEXIBLE MED. GBP UK LANCASTER	<b>Processing Facility:</b>	Markham Vale	<b>Work Order #</b>	3338165
<b>P.O.#</b>	405193			<b>Sales Order #</b>	3301592
25 - 45 kGy		Gamma Irradiation	Irradiation Date/Time:	05/13/2023 22:53:25 GMT	

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	701	BX	100862174	Diversey Clearklens DE 900 mL	FMP23118	57014/STR001910
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
102.000	3	BX	100862174 Sample	Diversey Clearklens DE 900 mL	FMP23118	57014/STR001910
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
103.000	171	BX	101101081	Diversey Clearklens DE 900ml	FMP23123	57018/STR002096
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
	875	BX	Total			

### Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By----- User	Date /Time
450.00	Maximum Dose	25.0 kGy	45.0 kGy	40.0 KGY	Pass	CCICALA	05/15/2023 09:59:52 GMT
		Reason Code Test				CLAIRE CICALA	
450.00	Minimum Dose	25.0 kGy	45.0 kGy	28.1 KGY	Pass	DYATES	05/14/2023 19:22:41 GMT
		Reason Code Test				DANIEL YATES	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: CLAIRE CICALA  
 Reason: Work Order Completions

Date: 05/15/2023 12:41:54 GMT

R55480102

05/15/2023 8:52:19 GMT  
Page 1 of 1

<b>Customer Name:</b>	<b>FLEXIBLE MED. GBP UK LANCASTER</b>	<b>Processing Facility:</b>	<b>Markham Vale</b>	<b>Work Order #</b>	<b>3339090</b>
<b>P.O.#</b>	<b>405203</b>			<b>Sales Order #</b>	<b>3302537</b>
<b>25 - 45 kGy</b>		<b>Gamma Irradiation</b>		<b>Irradiation Date/Time:</b>	<b>05/13/2023 18:56:32 GMT</b>

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	537	BX	101101081	Diversey Clearklens DE 900ml	FMP23123	57018/STR002096
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
102.000	13	BX	101101081_SAMPLE	Diversey Clearklens DE 900ml	FMP23123	57018/STR002096
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
	<b>550</b>	<b>BX</b>	<b>Total</b>			

**Quality Test Summary**

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By----- User	Date /Time
450.00	Maximum Dose	25.0 kGy	45.0 kGy	38.8 KGY	Pass	LDAWSON	05/14/2023 04:24:48 GMT
		Reason Code Test				LINDSAY DAWSON	
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.5 KGY	Pass	LDAWSON	05/14/2023 04:25:17 GMT
		Reason Code Test				LINDSAY DAWSON	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: CLAIRE CICALA  
Reason: Work Order Completions

Date: 05/15/2023 08:49:17 GMT

# PHARMACEUTICAL ANALYSIS REPORT

LUCIDEON

insight creating advantage

## Flexible Medical Packaging

Unit 8  
Hightown  
White Cross Industrial Estate  
Lancaster  
LA1 4XS

FAO: Mrs. Olga Kirchner

**Report of Tests on:** ClearKlens DE

**Sample Description:** Sample Code: 23123 57018

**Lucideon Sample Number:** UK231817-12365

**Lucideon Report Number:** UK231817-12365/MFEP **Issue Number:** 1

**Date Logged:** 18-May-2023 **Order Number:** 405315

**Date Reported:** 12-Jun-2023 **Date(s) of Test(s):** 24-May-2023 to 07-Jun-2023

### Sterility Testing

Membrane Filtration EP

## Test Results:

Result: Pass

The test results meet the EP/USP criteria: Yes

Tests carried out in accordance with cGMP

**End of Test Report**

DocuSigned by:

*Natalie Boot*



Signer Name: Natalie Boot  
Signing Reason: I have reviewed this document  
Signing Time: 12 June 2023 | 16:35 BST

90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

**Senior Business Support Administrator**

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited  
Queens Road, Penkhull  
Stoke-on-Trent  
Staffordshire ST4 7LQ

T +44 (0)1782 764428  
enquiries@lucideon.com  
www.lucideon.com

**Certificate Of Completion**

Envelope Id: 3CECFD8DA0E94871A53E8835C9979900

Status: Completed

Subject: Sign

Source Envelope:

Document Pages: 1

Signatures: 1

Envelope Originator:

Certificate Pages: 1

Initials: 0

Natalie Boot

AutoNav: Enabled

Queens Road

Enveloped Stamping: Disabled

Stoke-on-Trent, Staffordshire ST4 7LQ

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Natalie.Boot@uk.lucideon.com

IP Address: 86.188.245.148

**Record Tracking**

Status: Original

Holder: Natalie Boot

Location: DocuSign

12-Jun-23 | 16:34

Natalie.Boot@uk.lucideon.com

**Signer Events****Signature****Timestamp**

Natalie Boot

natalie.boot@uk.lucideon.com

Placeholder

Lucideon Limited

Security Level: Email, Account Authentication  
(Required), Authentication*Natalie Boot*

Sent: 12-Jun-23 | 16:35

Viewed: 12-Jun-23 | 16:35

Signed: 12-Jun-23 | 16:35

Signature Adoption: Pre-selected Style

Signature ID:

90369E90-4813-4123-B65D-5E8FBD375BF3

Using IP Address: 86.188.245.148

With Signing Authentication via DocuSign password

With Signing Reasons (on each tab):

I have reviewed this document

**Electronic Record and Signature Disclosure:**

Not Offered via DocuSign

**In Person Signer Events****Signature****Timestamp****Editor Delivery Events****Status****Timestamp****Agent Delivery Events****Status****Timestamp****Intermediary Delivery Events****Status****Timestamp****Certified Delivery Events****Status****Timestamp****Carbon Copy Events****Status****Timestamp****Witness Events****Signature****Timestamp****Notary Events****Signature****Timestamp****Envelope Summary Events****Status****Timestamps**

Envelope Sent

Hashed/Encrypted

12-Jun-23 | 16:35

Certified Delivered

Security Checked

12-Jun-23 | 16:35

Signing Complete

Security Checked

12-Jun-23 | 16:35

Completed

Security Checked

12-Jun-23 | 16:35

**Payment Events****Status****Timestamps**

# PHARMACEUTICAL ANALYSIS REPORT

LUCIDEON

insight creating advantage

## Flexible Medical Packaging

Unit 8  
Hightown  
White Cross Industrial Estate  
Lancaster  
LA1 4XS

FAO: Mrs. Olga Kirchner

**Report of Tests on:** ClearKlens DE

**Sample Description:** Sample Code: 23123 57018

**Lucideon Sample Number:** UK231817-12366

**Lucideon Report Number:** UK231817-12366/ETEP **Issue Number:** 1

**Date Logged:** 18-May-2023 **Order Number:** 405315

**Date Reported:** 25-May-2023 **Date(s) of Test(s):** 23-May-2023 to 23-May-2023

### Endotoxin Test (EP)

#### 2.6.14 Bacterial Endotoxins - Method C - Turbidimetric Kinetic Method

### Test Results:

The test results meet the EP/USP criteria: Yes

Result: Pass (<0.2000) EU/ml

Tests carried out in accordance with cGMP

**End of Test Report**

DocuSigned by:

*Natalie Boot*



Signer Name: Natalie Boot  
Signing Reason: I have reviewed this document  
Signing Time: 25 May 2023 | 10:58 BST

90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

**Senior Business Support Administrator**

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited  
Queens Road, Penkhull  
Stoke-on-Trent  
Staffordshire ST4 7LQ

T +44 (0)1782 764428  
enquiries@lucideon.com  
www.lucideon.com

**Certificate Of Completion**

Envelope Id: 659B3888666B4C75B0CE0E84F0CC41BD

Status: Completed

Subject: Sign

Source Envelope:

Document Pages: 1

Signatures: 1

Envelope Originator:

Certificate Pages: 1

Initials: 0

Natalie Boot

AutoNav: Enabled

Queens Road

Envelopeld Stamping: Disabled

Stoke-on-Trent, Staffordshire ST4 7LQ

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Natalie.Boot@uk.lucideon.com

IP Address: 195.11.216.44

**Record Tracking**

Status: Original

Holder: Natalie Boot

Location: DocuSign

25-May-23 | 10:57

Natalie.Boot@uk.lucideon.com

**Signer Events****Signature****Timestamp**

Natalie Boot

natalie.boot@uk.lucideon.com

Placeholder

Lucideon Limited

Security Level: Email, Account Authentication  
(Required), Authentication, Logged in*Natalie Boot*

Sent: 25-May-23 | 10:57

Viewed: 25-May-23 | 10:58

Signed: 25-May-23 | 10:58

Signature Adoption: Pre-selected Style

Signature ID:

90369E90-4813-4123-B65D-5E8FBD375BF3

Using IP Address: 195.11.216.44

With Signing Authentication via DocuSign password

With Signing Reasons (on each tab):

I have reviewed this document

**Electronic Record and Signature Disclosure:**

Not Offered via DocuSign

**In Person Signer Events****Signature****Timestamp****Editor Delivery Events****Status****Timestamp****Agent Delivery Events****Status****Timestamp****Intermediary Delivery Events****Status****Timestamp****Certified Delivery Events****Status****Timestamp****Carbon Copy Events****Status****Timestamp****Witness Events****Signature****Timestamp****Notary Events****Signature****Timestamp****Envelope Summary Events****Status****Timestamps**

Envelope Sent

Hashed/Encrypted

25-May-23 | 10:57

Certified Delivered

Security Checked

25-May-23 | 10:58

Signing Complete

Security Checked

25-May-23 | 10:58

Completed

Security Checked

25-May-23 | 10:58

**Payment Events****Status****Timestamps**