



Diversey Europe Operations BV
Maarssenbroeksedijk 2
3542 DN Utrecht
The Netherlands

Tel. +31 (0)30 247 6427
www.Diversey.com

CERTIFICATE OF ANALYSIS

Date: 21 June 2023

Product Name	CLEARKLENS CLEANSINALD SS VH9S		
Product Code	7516431		
Batch Number	FMP23172	57261	
Production Date	21/06/2023		
Expiration Date	EXP 21/12/2024		

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product.

Test	Test Method	Limits		Results
		Lower	Upper	
Appearance	Visual	Clear Slightly Yellow Liquid		Clear Slightly Yellow Liquid
pH (neat solution)	DM001	9.0	11.4	10.5
Specific Gravity (20°C)	DM004	0.990	1.010	0.999

On behalf of Diversey site Quality Manger	Name:	Sabcho Svetoslavov Ewelina Nowaczyk
	Position	Quality Control Inspector

This document being issued electronically does not bear a signature

COA Template	Version : 04	Date of issuing : March 11th 2019
--------------	--------------	-----------------------------------

STERIS: Gamma Certificate Of Processing

Prepared for: FLEXIBLE MEDICAL PACKAGING LTD (8245)

Gamma Process Run ID 2173-37923A

<u>Product Code</u>	<u>Lot Number</u>	<u>Quantity</u>	<u>UOM</u>
C/SINALD SS 900ml Bottle DV4673	57271	11	Case

Validation Reference Number: 4673

Processing Run Start Date: 09-Jun-2023 4:53 PM

Processing Run End Date: 09-Jun-2023 11:11 PM

Specified Dose Range (kGy):	25.0 - 40.0	Calculated Min Dose (kGy):	31.4
Reference Dose Range (kGy):	27.3 - 36.6	Calculated Max Dose (kGy):	37.9

PO Number: 405451

Product meets Customer specifications; zero nonconformities occurred during this irradiation run.

Gamma Process Run Approval authorized by STERIS

Date/Time E-Signed: 10-Jun-2023 1:38 AM

Operating facilities are in compliance with applicable regulations providing services under a certified quality system which meets the requirements of FDA QSR, EN/ISO 13485 current certified version, and is in alignment with EN ISO 11137 current certified version

Processing Location

Synergy Health Sterilisation UK
Limited, a STERIS Company
Brunel Close
Drayton Fields Industrial Estate
Daventry
Northants
NN11 8RB
Phone: + 44(0) 1327 706 111

Items irradiated under WO57271 will be used in finished batch Fmp23172 57261.

Olga Kirchner

PHARMACEUTICAL ANALYSIS REPORT

Flexible Medical Packaging

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mrs. Olga Kirchner

Report of Tests on: Cleansinald SS

Sample Description: Sample Code: Fmp23172 57261

Lucideon Sample Number: UK232365-16341

Lucideon Report Number: UK232365-16341/MFEP **Issue Number:** 1

Date Logged: 27-Jun-2023 **Order Number:** 405639

Date Reported: 20-Jul-2023 **Date(s) of Test(s):** 30-Jun-2023 to 14-Jul-2023

Sterility Testing
Membrane Filtration EP

Test Results:

Result: Pass

The test results meet the EP/USP criteria: Yes

Tests carried out in accordance with cGMP

End of Test Report

DocuSigned by:

Tracy Wheeler



Signer Name: Tracy Wheeler
Signing Reason: I have reviewed this document
Signing Time: 20 July 2023 | 10:04 BST

D85AB0246E184F31821E2EC1AFA6CA90

Tracy Wheeler

Business Support Administrator

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited
Queens Road, Penkhull
Stoke-on-Trent
Staffordshire ST4 7LQ

T +44 (0)1782 764428
enquiries@lucideon.com
www.lucideon.com

Certificate Of Completion

Envelope Id: 1026CA944A074B5D928CA1FF61202554

Status: Completed

Subject: sign

Source Envelope:

Document Pages: 1

Signatures: 1

Envelope Originator:

Certificate Pages: 1

Initials: 0

Tracy Wheeler

AutoNav: Enabled

Queens Road

Enveloped Stamping: Disabled

Stoke-on-Trent, Staffordshire ST4 7LQ

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Tracy.Wheeler@uk.lucideon.com

IP Address: 86.188.245.148

Record Tracking

Status: Original

Holder: Tracy Wheeler

Location: DocuSign

20-Jul-23 | 10:02

Tracy.Wheeler@uk.lucideon.com

Signer Events**Signature****Timestamp**

Tracy Wheeler

Tracy Wheeler

Sent: 20-Jul-23 | 10:04

tracy.wheeler@uk.lucideon.com

Viewed: 20-Jul-23 | 10:04

Placeholder

Signed: 20-Jul-23 | 10:04

Lucideon Limited

Signature Adoption: Pre-selected Style

Security Level: Email, Account Authentication
(Required), Authentication, Logged in

Signature ID:

D85AB024-6E18-4F31-821E-2EC1AFA6CA90

Using IP Address: 86.188.245.148

With Signing Authentication via DocuSign password

With Signing Reasons (on each tab):

I have reviewed this document

Electronic Record and Signature Disclosure:

Not Offered via DocuSign

In Person Signer Events**Signature****Timestamp****Editor Delivery Events****Status****Timestamp****Agent Delivery Events****Status****Timestamp****Intermediary Delivery Events****Status****Timestamp****Certified Delivery Events****Status****Timestamp****Carbon Copy Events****Status****Timestamp****Witness Events****Signature****Timestamp****Notary Events****Signature****Timestamp****Envelope Summary Events****Status****Timestamps**

Envelope Sent

Hashed/Encrypted

20-Jul-23 | 10:04

Certified Delivered

Security Checked

20-Jul-23 | 10:04

Signing Complete

Security Checked

20-Jul-23 | 10:04

Completed

Security Checked

20-Jul-23 | 10:04

Payment Events**Status****Timestamps**