



Diversey Europe Operations BV  
Maarssenbroeksedijk 2  
3542 DN Utrecht  
The Netherlands

Tel. +31 (0)30 247 6427  
www.Diversey.com

## CERTIFICATE OF ANALYSIS

Date: 13 July 2023

Product Name	CLEARKLENS CLEANSINALD SC VH9		
Product Code	101107577		
Batch Number	FMP23194	58412	
Production Date	13/07/2023		
Expiration Date	EXP 13/07/2025		

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product.

Test	Test Method	Limits		Results
		Lower	Upper	
Appearance	Visual	Clear Slightly Yellow Liquid		Clear Slightly Yellow Liquid
pH (neat solution)	DM001	12.0	13.0	12.6
Specific Gravity (20°C)	DM004	1.040	1.060	1.05
Cationic Content	DM020	14.25	15.75	15.49

On behalf of Diversey site Quality Manger	Name:	Justyna Staron Sabcho Svetoslavov
	Position	Quality Control Inspector

*This document being issued electronically does not bear a signature*

COA Template	Version : 04	Date of issuing : March 11th 2019
--------------	--------------	-----------------------------------

# STERIS: Gamma Certificate Of Processing

Prepared for: FLEXIBLE MEDICAL PACKAGING LTD (8245)

Gamma Process Run ID 2173-38113A

<u>Product Code</u>	<u>Lot Number</u>	<u>Quantity</u>	<u>UOM</u>
C/SINALD BOTTLES/CAPS/BAGS DV4894	57595	46	Case

Validation Reference Number: 4894

Processing Run Start Date: 16-Jun-2023 10:18 AM

Processing Run End Date: 16-Jun-2023 10:10 PM

Specified Dose Range (kGy):	25.0 - 40.0	Calculated Min Dose (kGy):	29.3
Reference Dose Range (kGy):	27.4 - 36.5	Calculated Max Dose (kGy):	37.0

PO Number: 405509

Product meets Customer specifications; zero nonconformities occurred during this irradiation run.

**Gamma Process Run Approval authorized by STERIS**

Date/Time E-Signed: 17-Jun-2023 5:01 AM

Operating facilities are in compliance with applicable regulations providing services under a certified quality system which meets the requirements of FDA QSR, EN/ISO 13485 current certified version, and is in alignment with EN ISO 11137 current certified version

## Processing Location

Synergy Health Sterilisation UK  
Limited, a STERIS Company  
Brunel Close  
Drayton Fields Industrial Estate  
Daventry  
Northants  
NN11 8RB  
Phone: + 44(0) 1327 706 111

Items irradiated under WO57595 will be used in finished batch Fmp23194 58412.

Olga Kirchner

# PHARMACEUTICAL ANALYSIS REPORT



## Flexible Medical Packaging

Unit 8  
Hightown  
White Cross Industrial Estate  
Lancaster  
LA1 4XS

FAO: Mrs. Olga Kirchner

**Report of Tests on:** Cleansinald SC

**Sample Description:** Sample Code: Fmp23194 58412

**Lucideon Sample Number:** UK232790-21038

**Lucideon Report Number:** UK232790-21038/MFEP **Issue Number:** 1

**Date Logged:** 20-Jul-2023 **Order Number:** 405856

**Date Reported:** 09-Aug-2023 **Date(s) of Test(s):** 25-Jul-2023 to 08-Aug-2023

### Sterility Testing Membrane Filtration EP

## Test Results:

Result: Pass

The test results meet the EP/USP criteria: Yes

Tests carried out in accordance with cGMP

**End of Test Report**

DocuSigned by:

Natalie Boot



Signer Name: Natalie Boot  
Signing Reason: I have reviewed this document  
Signing Time: 09 August 2023 | 12:06 BST

90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

**Senior Business Support Administrator**

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited  
Queens Road, Penkhull  
Stoke-on-Trent  
Staffordshire ST4 7LQ

T +44 (0)1782 764428  
enquiries@lucideon.com  
www.lucideon.com

**Certificate Of Completion**

Envelope Id: 24EBE5B88AA24642A62E4B7F5EEE2483

Status: Completed

Subject: Sign

Source Envelope:

Document Pages: 2

Signatures: 2

Envelope Originator:

Certificate Pages: 1

Initials: 0

Natalie Boot

AutoNav: Enabled

Queens Road

Enveloped Stamping: Disabled

Stoke-on-Trent, Staffordshire ST4 7LQ

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Natalie.Boot@uk.lucideon.com

IP Address: 86.188.245.148

**Record Tracking**

Status: Original

Holder: Natalie Boot

Location: DocuSign

09-Aug-23 | 12:04

Natalie.Boot@uk.lucideon.com

**Signer Events****Signature****Timestamp**

Natalie Boot

natalie.boot@uk.lucideon.com

PlaceHolder

Lucideon Limited

Security Level: Email, Account Authentication  
(Required), Authentication, Logged in*Natalie Boot*

Sent: 09-Aug-23 | 12:06

Viewed: 09-Aug-23 | 12:06

Signed: 09-Aug-23 | 12:07

Signature Adoption: Pre-selected Style

Signature ID:

90369E90-4813-4123-B65D-5E8FBD375BF3

Using IP Address: 86.188.245.148

With Signing Authentication via DocuSign password

With Signing Reasons (on each tab):

I have reviewed this document

I have reviewed this document

**Electronic Record and Signature Disclosure:**

Not Offered via DocuSign

**In Person Signer Events****Signature****Timestamp****Editor Delivery Events****Status****Timestamp****Agent Delivery Events****Status****Timestamp****Intermediary Delivery Events****Status****Timestamp****Certified Delivery Events****Status****Timestamp****Carbon Copy Events****Status****Timestamp****Witness Events****Signature****Timestamp****Notary Events****Signature****Timestamp****Envelope Summary Events****Status****Timestamps**

Envelope Sent

Hashed/Encrypted

09-Aug-23 | 12:06

Certified Delivered

Security Checked

09-Aug-23 | 12:06

Signing Complete

Security Checked

09-Aug-23 | 12:07

Completed

Security Checked

09-Aug-23 | 12:07

**Payment Events****Status****Timestamps**