

CERTIFICATE OF ANALYSIS

Date issue: 04 August 2023

Product Name	CLEARKLENS IPA VH1		
Product Code	<input type="checkbox"/> 101105062	<input checked="" type="checkbox"/> 101105063	<input type="checkbox"/> 101105064
Batch Number	FMP23198	57756	
Production Date	17/07/2023		
Expiration Date	EXP 17/07/2025		

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product

Test	Test Method	Specification	UOM	Results
Appearance	Visual	Clear Colourless Liquid	NA	Clear Colourless Liquid
Specific Gravity (20°C)	DM004	0.872 0.883	g/cm ³	0.875

Control of the Sterility of the product:

Test	Test Method	Specification	Conformity	Reference No:
Sterilization	Gamma Irradiation	25.0 - 45.0 (kGy)	YES	57756
Sterility Certificate	Sterility by Membrane Filtration EP 9.0 2.6.1, USP 42<71> & JP XVII 4.06	No Growth	YES	UK233007-22813
2.6.14 Bacterial Endotoxins	Method C - Turbidimetric Kinetic Method (EP/USP Criteria)	<0.2 EU/mL	YES	UK233007-22814

	Date of released on behalf of Diversey's Manufacturing Location:	Testers:	
		Sabcho Svetoslavov	04/08/2023
		Angelika Pietraszko	04/08/2023
		Quality Control Inspector	
		Olga Kirchner	06/09/2023

The analysis results above could change over time and in function of the storage temperature. It is imperative to store the products according to the recommended conditions indicated in the SDS.

End of certificate of analysis

R55480102

07/26/2023 7:37:50 GMT

Page 1 of 1

Customer Name:	FLEXIBLE MED. GBP UK LANCASTER	Processing Facility:	Markham Vale	Work Order #	3383140
P.O.#	405859			Sales Order #	3353784
	25 - 45 kGy	Gamma Irradiation		Irradiation Date/Time:	07/22/2023 06:48:00 GMT

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	130	BX	101105062	Diversey Clearklens IPA 900ml	FMP23200	57761/STR002199
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
102.000	717	BX	101105063	Clearklens IPA 900 mls	FMP23198	57756/STR002201
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
103.000	3	BX	101105063_SAMPLE	Clearklens IPA 900 mls	FMP23198	57756/STR002201
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
	850	BX	Total			

Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By----- User	Date /Time
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.3 KGY	Pass	SWHELAN	07/24/2023 09:50:28 GMT
		Reason Code Test				STEVEN WHELAN	
450.00	Maximum Dose	25.0 kGy	45.0 kGy	39.1 KGY	Pass	SWHELAN	07/24/2023 09:50:48 GMT
		Reason Code Test				STEVEN WHELAN	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: CLAIRE CICALA
 Reason: Work Order Completions

Date: 07/26/2023 07:37:27 GMT

PHARMACEUTICAL ANALYSIS REPORT



Flexible Medical Packaging

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mrs. Olga Kirchner

Report of Tests on: ClearKlens IPA

Sample Description: Sample Code: Fmp23198 57756

Lucideon Sample Number: UK233007-22814

Lucideon Report Number: UK233007-22814/ETEP **Issue Number:** 1

Date Logged: 07-Aug-2023 **Order Number:** 405987

Date Reported: 18-Aug-2023 **Date(s) of Test(s):** 17-Aug-2023 to 17-Aug-2023

Endotoxin Test (EP)

2.6.14 Bacterial Endotoxins - Method C - Turbidimetric Kinetic Method

Test Results:

The test results meet the EP/USP criteria: Yes

Result: Pass (<0.2000 EU/ml)

Tests carried out in accordance with cGMP

End of Test Report

DocuSigned by:

Natalie Boot



Signer Name: Natalie Boot

Signing Reason: I have reviewed this document

Signing Time: 18 August 2023 | 14:25 BST

90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

Senior Business Support Administrator

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited
Queens Road, Penkhull
Stoke-on-Trent
Staffordshire ST4 7LQ

T +44 (0)1782 764428
enquiries@lucideon.com
www.lucideon.com

Certificate Of Completion

Envelope Id: 266FB9589B7644B9874CF8A6F3A8F8BD

Status: Completed

Subject: Sign

Source Envelope:

Document Pages: 2

Signatures: 2

Envelope Originator:

Certificate Pages: 1

Initials: 0

Natalie Boot

AutoNav: Enabled

Queens Road

Envelopeld Stamping: Disabled

Stoke-on-Trent, Staffordshire ST4 7LQ

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Natalie.Boot@uk.lucideon.com

IP Address: 86.188.245.148

Record Tracking

Status: Original

Holder: Natalie Boot

Location: DocuSign

18-Aug-23 | 14:23

Natalie.Boot@uk.lucideon.com

Signer Events**Signature****Timestamp**

Natalie Boot

Sent: 18-Aug-23 | 14:24

natalie.boot@uk.lucideon.com

Natalie Boot

Viewed: 18-Aug-23 | 14:24

PlaceHolder

Signed: 18-Aug-23 | 14:25

Lucideon Limited

Security Level: Email, Account Authentication
(Required), Authentication, Logged in

Signature Adoption: Pre-selected Style

Signature ID:

90369E90-4813-4123-B65D-5E8FBD375BF3

Using IP Address: 86.188.245.148

With Signing Authentication via DocuSign password

With Signing Reasons (on each tab):

I have reviewed this document

I have reviewed this document

Electronic Record and Signature Disclosure:

Not Offered via DocuSign

In Person Signer Events**Signature****Timestamp****Editor Delivery Events****Status****Timestamp****Agent Delivery Events****Status****Timestamp****Intermediary Delivery Events****Status****Timestamp****Certified Delivery Events****Status****Timestamp****Carbon Copy Events****Status****Timestamp****Witness Events****Signature****Timestamp****Notary Events****Signature****Timestamp****Envelope Summary Events****Status****Timestamps**

Envelope Sent

Hashed/Encrypted

18-Aug-23 | 14:24

Certified Delivered

Security Checked

18-Aug-23 | 14:24

Signing Complete

Security Checked

18-Aug-23 | 14:25

Completed

Security Checked

18-Aug-23 | 14:25

Payment Events**Status****Timestamps**

PHARMACEUTICAL ANALYSIS REPORT



Flexible Medical Packaging

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mrs. Olga Kirchner

Report of Tests on: ClearKlens IPA

Sample Description: Sample Code: Fmp23198 57756

Lucideon Sample Number: UK233007-22813

Lucideon Report Number: UK233007-22813/MFEP **Issue Number:** 1

Date Logged: 07-Aug-2023 **Order Number:** 405987

Date Reported: 05-Sep-2023 **Date(s) of Test(s):** 22-Aug-2023 to 05-Sep-2023

Sterility Testing

Membrane Filtration EP

Test Results:

Result: Pass

The test results meet the EP/USP criteria: Yes

Tests carried out in accordance with cGMP

End of Test Report

DocuSigned by:

Natalie Boot



Signer Name: Natalie Boot

Signing Reason: I have reviewed this document

Signing Time: 05 September 2023 | 15:59 BST

90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

Senior Business Support Administrator

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited
Queens Road, Penkhull
Stoke-on-Trent
Staffordshire ST4 7LQ

T +44 (0)1782 764428
enquiries@lucideon.com
www.lucideon.com

Certificate Of Completion

Envelope Id: 986E3CCB811E4DF5BFE8EC9E7E62F120

Status: Completed

Subject: Sign

Source Envelope:

Document Pages: 2

Signatures: 2

Envelope Originator:

Certificate Pages: 1

Initials: 0

Natalie Boot

AutoNav: Enabled

Queens Road

Envelope Stamping: Disabled

Stoke-on-Trent, Staffordshire ST4 7LQ

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Natalie.Boot@uk.lucideon.com

IP Address: 86.188.245.148

Record Tracking

Status: Original

Holder: Natalie Boot

Location: DocuSign

05-Sep-23 | 15:57

Natalie.Boot@uk.lucideon.com

Signer Events**Signature****Timestamp**

Natalie Boot

natalie.boot@uk.lucideon.com

PlaceHolder

Lucideon Limited

Security Level: Email, Account Authentication
(Required), Authentication*Natalie Boot*

Sent: 05-Sep-23 | 15:59

Viewed: 05-Sep-23 | 15:59

Signed: 05-Sep-23 | 16:00

Signature Adoption: Pre-selected Style

Signature ID:

90369E90-4813-4123-B65D-5E8FBD375BF3

Using IP Address: 86.188.245.148

With Signing Authentication via DocuSign password

With Signing Reasons (on each tab):

I have reviewed this document

I have reviewed this document

Electronic Record and Signature Disclosure:

Not Offered via DocuSign

In Person Signer Events**Signature****Timestamp****Editor Delivery Events****Status****Timestamp****Agent Delivery Events****Status****Timestamp****Intermediary Delivery Events****Status****Timestamp****Certified Delivery Events****Status****Timestamp****Carbon Copy Events****Status****Timestamp****Witness Events****Signature****Timestamp****Notary Events****Signature****Timestamp****Envelope Summary Events****Status****Timestamps**

Envelope Sent

Hashed/Encrypted

05-Sep-23 | 15:59

Certified Delivered

Security Checked

05-Sep-23 | 15:59

Signing Complete

Security Checked

05-Sep-23 | 16:00

Completed

Security Checked

05-Sep-23 | 16:00

Payment Events**Status****Timestamps**