



Diversey Europe Operations BV  
Maarssebroeksedijk 2  
3542 DN Utrecht  
The Netherlands

Tel. +31 (0)30 247 6427  
www.Diversey.com

## CERTIFICATE OF ANALYSIS

Date: 07 September 2023

Product Name	CLEARKLENS CLEANSINALD SS VH9S		
Product Code	100848254		
Batch Number	FMP23250	58363	
Production Date	07/09/2023		
Expiration Date	EXP 07/03/2025		

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product.

Test	Test Method	Limits		Results
		Lower	Upper	
Appearance	Visual	Clear Slightly Yellow Liquid		Clear Slightly Yellow Liquid
pH (neat solution)	DM001	9.0	11.4	10.9
Specific Gravity (20°C)	DM004	0.990	1.010	0.997

On behalf of Diversey site Quality Manger	Name:	Sabcho Svetoslavov Justyna Staron
	Position	Quality Control Inspector

This document being issued electronically does not bear a signature

COA Template	Version : 04	Date of issuing : March 11th 2019
--------------	--------------	-----------------------------------

# STERIS: Gamma Certificate Of Processing

Prepared for: FLEXIBLE MEDICAL PACKAGING LTD (8245)

Gamma Process Run ID 2173-39044A

<u>Product Code</u>	<u>Lot Number</u>	<u>Quantity</u>	<u>UOM</u>
C/SINALD SS 900ml Bottle DV4673	58365	13	Case

Validation Reference Number: 4673

Processing Run Start Date: 20-Jul-2023 10:20 PM

Processing Run End Date: 21-Jul-2023 4:52 AM

<b>Specified Dose Range (kGy):</b>	<b>25.0 - 40.0</b>	<b>Calculated Min Dose (kGy):</b>	<b>30.8</b>
<b>Reference Dose Range (kGy):</b>	<b>27.3 - 36.6</b>	<b>Calculated Max Dose (kGy):</b>	<b>37.5</b>

All dosimeters measured within the required reference dose range to meet Customer dose specification.

PO Number: 405817

Product meets Customer specifications; zero nonconformities occurred during this irradiation run.

## Signature Manifest

Reviewed and E-Signed By: **Tamas Szatmari (Quality Engineer)**

Date/Time E-Signed: 24-Jul-2023 10:45 AM

Document Content Revision: 1

Operating facilities are in compliance with applicable regulations providing services under a certified quality system which meets the requirements of FDA QSR, EN/ISO 13485 current certified version, and is in alignment with EN ISO 11137 current certified version

## Processing Location

Synergy Health Sterilisation UK  
Limited, a STERIS Company  
Brunel Close  
Drayton Fields Industrial Estate  
Daventry  
Northants  
NN11 8RB  
Phone: + 44(0) 1327 706 111

Items irradiated under WO58365 will be used in finished batch Fmp23250 58363.

Olga Kirchner

# PHARMACEUTICAL ANALYSIS REPORT

LUCIDEON

insight creating advantage

## Flexible Medical Packaging

Unit 8  
Hightown  
White Cross Industrial Estate  
Lancaster  
LA1 4XS

FAO: Mrs. Olga Kirchner

**Report of Tests on:** Cleansinald SS

**Sample Description:** Sample Code: Fmp23250 58363

**Lucideon Sample Number:** UK233416-25609

**Lucideon Report Number:** UK233416-25609/MFEP **Issue Number:** 1

**Date Logged:** 14-Sep-2023 **Order Number:** 406277

**Date Reported:** 05-Oct-2023 **Date(s) of Test(s):** 19-Sep-2023 to 03-Oct-2023

### Sterility Testing

Membrane Filtration EP

## Test Results:

Result: Pass

The test results meet the EP/USP criteria: Yes

Tests carried out in accordance with cGMP

**End of Test Report**

DocuSigned by:

*Natalie Boot*



Signer Name: Natalie Boot  
Signing Reason: I have reviewed this document  
Signing Time: 05 October 2023 | 14:25 BST

90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

**Senior Business Support Administrator**

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited  
Queens Road, Penkhull  
Stoke-on-Trent  
Staffordshire ST4 7LQ

T +44 (0)1782 764428  
enquiries@lucideon.com  
www.lucideon.com


Certificate Of Completion

Envelope Id: 94F17DB6E8774B43905F36DC59470596		Status: Completed
Subject: Sign		
Source Envelope:		
Document Pages: 1	Signatures: 1	Envelope Originator:
Certificate Pages: 1	Initials: 0	Natalie Boot
AutoNav: Enabled		Queens Road
Envelopeld Stamping: Disabled		Stoke-on-Trent, Staffordshire ST4 7LQ
Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London		Natalie.Boot@uk.lucideon.com
		IP Address: 86.188.245.148

Record Tracking

Status: Original	Holder: Natalie Boot	Location: DocuSign
05-Oct-23   14:24	Natalie.Boot@uk.lucideon.com	

Signer Events	Signature	Timestamp
---------------	-----------	-----------

Natalie Boot		Sent: 05-Oct-23   14:25
natalie.boot@uk.lucideon.com		Viewed: 05-Oct-23   14:25
Placeholder		Signed: 05-Oct-23   14:25
Lucideon Limited		
Security Level: Email, Account Authentication (Required), Authentication, Logged in	Signature Adoption: Pre-selected Style	
	Signature ID:	
	90369E90-4813-4123-B65D-5E8FBD375BF3	
	Using IP Address: 86.188.245.148	
	With Signing Authentication via DocuSign password	
	With Signing Reasons (on each tab):	
	I have reviewed this document	

Electronic Record and Signature Disclosure:  
Not Offered via DocuSign

In Person Signer Events	Signature	Timestamp
-------------------------	-----------	-----------

Editor Delivery Events	Status	Timestamp
------------------------	--------	-----------

Agent Delivery Events	Status	Timestamp
-----------------------	--------	-----------

Intermediary Delivery Events	Status	Timestamp
------------------------------	--------	-----------

Certified Delivery Events	Status	Timestamp
---------------------------	--------	-----------

Carbon Copy Events	Status	Timestamp
--------------------	--------	-----------

Witness Events	Signature	Timestamp
----------------	-----------	-----------

Notary Events	Signature	Timestamp
---------------	-----------	-----------

Envelope Summary Events	Status	Timestamps
-------------------------	--------	------------

Envelope Sent	Hashed/Encrypted	05-Oct-23   14:25
Certified Delivered	Security Checked	05-Oct-23   14:25
Signing Complete	Security Checked	05-Oct-23   14:25
Completed	Security Checked	05-Oct-23   14:25

Payment Events	Status	Timestamps
----------------	--------	------------