

CERTIFICATE OF ANALYSIS

Date issue: 27 September 2023


Product Name	CLEARLENs IPA VH1		
Product Code	<input checked="" type="checkbox"/> 101105062	<input type="checkbox"/> 101105063	<input type="checkbox"/> 101105064
Batch Number	FMP23252	57905	
Production Date	09/09/2023		
Expiration Date	EXP 09/09/2025		

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product

Test	Test Method	Specification	UOM	Results
Appearance	Visual	Clear Colourless Liquid	NA	Clear Colourless Liquid
Specific Gravity (20°C)	DM004	0.872 0.883	g/cm3	0.875

Control of the Sterility of the product:

Test	Test Method	Specification	Conformity	Reference No:
Sterilization	Gamma Irradiation	25.0 - 45.0 (kGy)	YES	57905
Sterility Certificate	Sterility by Membrane Filtration EP 9.0 2.6.1, USP 42<71> & JP XVII 4.06	No Growth	YES	UK233588-27345
2.6.14 Bacterial Endotoxins	Method C - Turbidimetric Kinetic Method (EP/USP Criteria)	<0.2 EU/mL	YES	UK233588-27346

	Date of released on behalf of Diversey's Manufacturing Location:	Testers:
		Ewelina Nowaczyk 27/09/2023
		Justyna Staron 27/09/2023
		Quality Control Inspector Olga Kirchner 18/10/2023

The analysis results above could change over time and in function of the storage temperature. It is imperative to store the products according to the recommended conditions indicated in the SDS.

End of certificate of analysis

R55480102

 09/18/2023 8:15:09 GMT
 Page 1 of 1

Customer Name:	FLEXIBLE MED. GBP UK LANCASTER	Processing Facility:	Markham Vale	Work Order #	3413261
P.O.#	406270			Sales Order #	3389540
	25 - 45 kGy	Gamma Irradiation		Irradiation Date/Time:	00:00:00 GMT

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	674	BX	100862174	Diversey Clearklens DE 900 mL	FMP23250	58256/STR001910
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
102.000	3	BX	100862174 Sample	Diversey Clearklens DE 900 mL	FMP23250	58256/STR001910
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
103.000	323	BX	101105062	Diversey Clearklens IPA 900ml	FMP23252	57905/STR002199
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
	1000	BX	Total			

Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By----- User	Date /Time
450.00	Maximum Dose	25.0 kGy	45.0 kGy	38.5 KGY	Pass	LDAWSON	09/16/2023 16:18:32 GMT
		Reason Code Test				LINDSAY DAWSON	
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.1 KGY	Pass	LDAWSON	09/16/2023 16:19:01 GMT
		Reason Code Test				LINDSAY DAWSON	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: CLAIRE CICALA
 Reason: Work Order Completions

Date: 09/18/2023 08:14:42 GMT

R55480102

09/25/2023 12:26:34 GMT
Page 1 of 1

Customer Name:	FLEXIBLE MED. GBP UK LANCASTER	Processing Facility:	Markham Vale	Work Order #	3417637
P.O.#	406296			Sales Order #	3394402
25 - 45 kGy		Gamma Irradiation	Irradiation Date/Time:	00:00:00 GMT	

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	1097	BX	101105062	Diversey Clearklens IPA 900ml	FMP23252	57905/STR002199
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
102.000	3	BX	101105062_SAMPLE	Diversey Clearklens IPA 900ml	FMP23252	57905/STR/002199
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
	1100	BX	Total			

Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By----- User	Date /Time
450.00	Maximum Dose	25.0 kGy	45.0 kGy	39.9 KGY	Pass	DYATES DANIEL YATES	09/23/2023 03:50:16 GMT
450.00	Minimum Dose	25.0 kGy	45.0 kGy	28.1 KGY	Pass	CCICALA CLAIRE CICALA	09/25/2023 09:30:27 GMT
		Reason Code Test					

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: CLAIRES CICALA
Reason: Work Order Completions

Date: 09/25/2023 12:25:41 GMT

PHARMACEUTICAL ANALYSIS REPORT

LUCIDEON

insight creating advantage

Flexible Medical Packaging

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mrs. Olga Kirchner

Report of Tests on: ClearKlens IPA

Sample Description: Sample Code: Fmp23252 57905

Lucideon Sample Number: UK233588-27345

Lucideon Report Number: UK233588-27345/MFEP **Issue Number:** 1

Date Logged: 29-Sep-2023 **Order Number:** 406398

Date Reported: 18-Oct-2023 **Date(s) of Test(s):** 03-Oct-2023 to 17-Oct-2023

Sterility Testing

Membrane Filtration EP

Test Results:

Result: Pass

The test results meet the EP/USP criteria: Yes

Tests carried out in accordance with cGMP

End of Test Report

DocuSigned by:

Natalie Boot



Signer Name: Natalie Boot
Signing Reason: I have reviewed this document
Signing Time: 18 October 2023 | 14:22 BST

90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

Senior Business Support Administrator

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited
Queens Road, Penkhull
Stoke-on-Trent
Staffordshire ST4 7LQ

T +44 (0)1782 764428
enquiries@lucideon.com
www.lucideon.com

Certificate Of Completion

Envelope Id: AF30411D9D8C43EBB4DE5E883D0AD9E1		Status: Completed
Subject: Sign		
Source Envelope:		
Document Pages: 1	Signatures: 1	Envelope Originator:
Certificate Pages: 1	Initials: 0	Natalie Boot
AutoNav: Enabled		Queens Road
Envelopeld Stamping: Disabled		Stoke-on-Trent, Staffordshire ST4 7LQ
Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London		Natalie.Boot@uk.lucideon.com
		IP Address: 86.188.245.148

Record Tracking

Status: Original	Holder: Natalie Boot	Location: DocuSign
18-Oct-23 14:20	Natalie.Boot@uk.lucideon.com	

Signer Events	Signature	Timestamp
---------------	-----------	-----------

Natalie Boot		Sent: 18-Oct-23 14:21
natalie.boot@uk.lucideon.com		Viewed: 18-Oct-23 14:22
Placeholder		Signed: 18-Oct-23 14:22
Lucideon Limited		
Security Level: Email, Account Authentication (Required), Authentication, Logged in	Signature Adoption: Pre-selected Style	
	Signature ID:	
	90369E90-4813-4123-B65D-5E8FBD375BF3	
	Using IP Address: 86.188.245.148	
	With Signing Authentication via DocuSign password	
	With Signing Reasons (on each tab):	
	I have reviewed this document	

Electronic Record and Signature Disclosure:
Not Offered via DocuSign

In Person Signer Events	Signature	Timestamp
-------------------------	-----------	-----------

Editor Delivery Events	Status	Timestamp
------------------------	--------	-----------

Agent Delivery Events	Status	Timestamp
-----------------------	--------	-----------

Intermediary Delivery Events	Status	Timestamp
------------------------------	--------	-----------

Certified Delivery Events	Status	Timestamp
---------------------------	--------	-----------

Carbon Copy Events	Status	Timestamp
--------------------	--------	-----------

Witness Events	Signature	Timestamp
----------------	-----------	-----------

Notary Events	Signature	Timestamp
---------------	-----------	-----------

Envelope Summary Events	Status	Timestamps
-------------------------	--------	------------

Envelope Sent	Hashed/Encrypted	18-Oct-23 14:21
Certified Delivered	Security Checked	18-Oct-23 14:22
Signing Complete	Security Checked	18-Oct-23 14:22
Completed	Security Checked	18-Oct-23 14:22

Payment Events	Status	Timestamps
----------------	--------	------------

PHARMACEUTICAL ANALYSIS REPORT

LUCIDEON

insight creating advantage

Flexible Medical Packaging

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mrs. Olga Kirchner

Report of Tests on: ClearKlens IPA

Sample Description: Sample Code: Fmp23252 57905

Lucideon Sample Number: UK233588-27346

Lucideon Report Number: UK233588-27346/ETEP **Issue Number:** 1

Date Logged: 29-Sep-2023 **Order Number:** 406398

Date Reported: 16-Oct-2023 **Date(s) of Test(s):** 12-Oct-2023 to 12-Oct-2023

Endotoxin Test (EP)

2.6.14 Bacterial Endotoxins - Method C - Turbidimetric Kinetic Method

Test Results:

The test results meet the EP/USP criteria: Yes

Result: Pass (<0.2000 EU/ml)

Tests carried out in accordance with cGMP

End of Test Report

DocuSigned by:

Natalie Boot



Signer Name: Natalie Boot
Signing Reason: I have reviewed this document
Signing Time: 16 October 2023 | 15:48 BST

90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

Senior Business Support Administrator

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited
Queens Road, Penkhull
Stoke-on-Trent
Staffordshire ST4 7LQ

T +44 (0)1782 764428
enquiries@lucideon.com
www.lucideon.com


Certificate Of Completion

Envelope Id: D959BC452525462C84ED945D186ADBC9		Status: Completed
Subject: Sign		
Source Envelope:		
Document Pages: 1	Signatures: 1	Envelope Originator:
Certificate Pages: 1	Initials: 0	Natalie Boot
AutoNav: Enabled		Queens Road
Envelopeld Stamping: Disabled		Stoke-on-Trent, Staffordshire ST4 7LQ
Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London		Natalie.Boot@uk.lucideon.com
		IP Address: 86.188.245.148

Record Tracking

Status: Original	Holder: Natalie Boot	Location: DocuSign
16-Oct-23 15:47	Natalie.Boot@uk.lucideon.com	

Signer Events	Signature	Timestamp
---------------	-----------	-----------

Natalie Boot		Sent: 16-Oct-23 15:48
natalie.boot@uk.lucideon.com		Viewed: 16-Oct-23 15:48
Placeholder		Signed: 16-Oct-23 15:48
Lucideon Limited		
Security Level: Email, Account Authentication (Required), Authentication, Logged in	Signature Adoption: Pre-selected Style	
	Signature ID:	
	90369E90-4813-4123-B65D-5E8FBD375BF3	
	Using IP Address: 86.188.245.148	
	With Signing Authentication via DocuSign password	
	With Signing Reasons (on each tab):	
	I have reviewed this document	

Electronic Record and Signature Disclosure:
Not Offered via DocuSign

In Person Signer Events	Signature	Timestamp
-------------------------	-----------	-----------

Editor Delivery Events	Status	Timestamp
------------------------	--------	-----------

Agent Delivery Events	Status	Timestamp
-----------------------	--------	-----------

Intermediary Delivery Events	Status	Timestamp
------------------------------	--------	-----------

Certified Delivery Events	Status	Timestamp
---------------------------	--------	-----------

Carbon Copy Events	Status	Timestamp
--------------------	--------	-----------

Witness Events	Signature	Timestamp
----------------	-----------	-----------

Notary Events	Signature	Timestamp
---------------	-----------	-----------

Envelope Summary Events	Status	Timestamps
-------------------------	--------	------------

Envelope Sent	Hashed/Encrypted	16-Oct-23 15:48
Certified Delivered	Security Checked	16-Oct-23 15:48
Signing Complete	Security Checked	16-Oct-23 15:48
Completed	Security Checked	16-Oct-23 15:48

Payment Events	Status	Timestamps
----------------	--------	------------