

## CERTIFICATE OF ANALYSIS

Date issue: 30 November 2023

<b>Product Name</b>	CLEARLENs IPA VH1		
<b>Product Code</b>	<input checked="" type="checkbox"/> 101105062	<input type="checkbox"/> 101105063	<input type="checkbox"/> 101105064
<b>Batch Number</b>	FMP23311	58915	
<b>Production Date</b>	07/11/2023		
<b>Expiration Date</b>	EXP 07/11/2025		

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product

Test	Test Method	Specification	UOM	Results
Appearance	Visual	Clear Colourless Liquid	NA	Clear Colourless Liquid
Specific Gravity (20°C)	DM004	0.872 0.883	g/cm3	0.875

Control of the Sterility of the product:

Test	Test Method	Specification	Conformity	Reference No:
Sterilization	Gamma Irradiation	25.0 - 45.0 (kGy)	YES	58915
Sterility Certificate	Sterility by Membrane Filtration EP 9.0 2.6.1, USP 42<71> & JP XVII 4.06	No Growth	YES	UK234412-33453
2.6.14 Bacterial Endotoxins	Method C - Turbidimetric Kinetic Method (EP/USP Criteria)	<0.2 EU/mL	YES	UK234412-33454

	Date of released on behalf of Diversey's Manufacturing Location:	Testers:	
		Natalia Traichel	30/11/2023
		Angelika Pietraszko	30/11/2023
		Quality Control Inspector	
		Olga Kirchner	22/12/2023

The analysis results above could change over time and in function of the storage temperature. It is imperative to store the products according to the recommended conditions indicated in the SDS.

\*\*\*End of certificate of analysis\*\*\*

R55480102

11/20/2023 13:49:40 GMT  
Page 1 of 1

<b>Customer Name:</b>	<b>FLEXIBLE MED. GBP UK LANCASTER</b>	<b>Processing Facility:</b>	<b>Markham Vale</b>	<b>Work Order #</b>	<b>3448541</b>
<b>P.O.#</b>	<b>406774</b>			<b>Sales Order #</b>	<b>3430600</b>
	<b>25 - 45 kGy</b>	<b>Gamma Irradiation</b>	<b>Irradiation Date/Time:</b>	<b>11/17/2023 12:59:00 GMT</b>	

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	650	BX	101105062	Diversey Clearklens IPA 900ml	FMP23311	58915/STR002199
			Dose Map	RF: 13.5A3, AF Min: 0.717		
	<b>650</b>	<b>BX</b>	<b>Total</b>			

**Quality Test Summary**

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By-----	
						User	Date /Time
450.00	Maximum Dose	25.0 kGy	45.0 kGy	39.3 KGY	Pass	LDAWSON	11/18/2023 00:59:18 GMT
		Reason Code Test				LINDSAY DAWSON	
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.7 KGY	Pass	LDAWSON	11/18/2023 00:59:47 GMT
		Reason Code Test				LINDSAY DAWSON	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: RHIANNON GATES  
Reason: Work Order Completions

Date: 11/20/2023 13:46:44 GMT

R55480102

11/20/2023 13:50:28 GMT  
Page 1 of 1

<b>Customer Name:</b>	<b>FLEXIBLE MED. GBP UK LANCASTER</b>	<b>Processing Facility:</b>	<b>Markham Vale</b>	<b>Work Order #</b>	<b>3449998</b>
<b>P.O.#</b>	<b>406809</b>			<b>Sales Order #</b>	<b>3432353</b>
	<b>25 - 45 kGy</b>	<b>Gamma Irradiation</b>	<b>Irradiation Date/Time:</b>	<b>11/17/2023 15:55:33 GMT</b>	

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	1075	BX	101105062	Diversey Clearklens IPA 900ml	FMP23311	58915/STR002199
			Dose Map	RF: 13.5A3, AF Min: 0.717		
	<b>1075</b>	<b>BX</b>	<b>Total</b>			

**Quality Test Summary**

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By-----	
						User	Date /Time
450.00	Maximum Dose	25.0 kGy	45.0 kGy	39.1 KGY	Pass	LDAWSON	11/18/2023 06:33:55 GMT
		Reason Code Test				LINDSAY DAWSON	
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.2 KGY	Pass	LDAWSON	11/18/2023 06:34:26 GMT
		Reason Code Test				LINDSAY DAWSON	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: RHIANNON GATES  
Reason: Work Order Completions

Date: 11/20/2023 13:48:20 GMT

R55480102

 11/27/2023 10:24:10 GMT  
 Page 1 of 1

Customer Name:	FLEXIBLE MED. GBP UK LANCASTER	Processing Facility:	Markham Vale	Work Order #	3456219
P.O.#	406881			Sales Order #	3439349
25 - 45 kGy		Gamma Irradiation	Irradiation Date/Time:	11/25/2023 11:42:18 GMT	

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	427	BX	101105062	Diversey Clearklens IPA 900ml	FMP23311	58915/STR002199
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
102.000	3	BX	101105062_SAMPLE	Diversey Clearklens IPA 900ml	FMP23311	58915/STR002199
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
103.000	395	BX	100862174	Diversey Clearklens DE 900 mL	FMP23318	58916/STR001910
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
	825	BX	Total			

### Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By----- User	Date /Time
450.00	Maximum Dose	25.0 kGy	45.0 kGy	39.8 KGY	Pass	CCICALA	11/27/2023 09:20:42 GMT
		Reason Code Test				CLAIRE CICALA	
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.4 KGY	Pass	DYATES	11/26/2023 01:39:23 GMT
		Reason Code Test				DANIEL YATES	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: CLAIRE CICALA  
 Reason: Work Order Completions

Date: 11/27/2023 10:23:31 GMT

# PHARMACEUTICAL ANALYSIS REPORT



## Flexible Medical Packaging

Unit 8  
Hightown  
White Cross Industrial Estate  
Lancaster  
LA1 4XS

FAO: Mrs. Olga Kirchner

**Report of Tests on:** ClearKlens IPA

**Sample Description:** Sample Code: Fmp23311 58915

**Lucideon Sample Number:** UK234412-33453

**Lucideon Report Number:** UK234412-33453/MFEP **Issue Number:** 1

**Date Logged:** 01-Dec-2023 **Order Number:** 406976

**Date Reported:** 21-Dec-2023 **Date(s) of Test(s):** 05-Dec-2023 to 19-Dec-2023

### Sterility Testing Membrane Filtration EP

#### Test Results:

The test results meet the EP/USP criteria: Yes

Result: Pass

Tests carried out in accordance with cGMP

**End of Test Report**

DocuSigned by:

*Natalie Boot*

Signer Name: Natalie Boot  
Signing Reason: I have reviewed this document  
Signing Time: 21 December 2023 | 15:51 GMT

90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

**Senior Business Support Administrator**

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited T +44 (0)1785 331874  
Queens Road, Penkhull query@lucideon.com  
Stoke-on-Trent www.lucideon.com  
Staffordshire, ST4 7LQ, UK Reg. England 1960455

## Certificate Of Completion

Envelope Id: 91578D24856A434A95CC5DC953A7FE87

Subject: Complete with DocuSign: DataWindow.xps

Source Envelope:

Document Pages: 2

Certificate Pages: 1

AutoNav: Enabled

EnvelopeId Stamping: Disabled

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Status: Completed

Envelope Originator:

Natalie Boot

Queens Road

Stoke-on-Trent, Staffordshire ST4 7LQ

Natalie.Boot@uk.lucideon.com

IP Address: 86.188.222.148

## Record Tracking

Status: Original

21-Dec-23 | 15:48

Holder: Natalie Boot

Natalie.Boot@uk.lucideon.com

Location: DocuSign

## Signer Events

Natalie Boot

natalie.boot@uk.lucideon.com

PlaceHolder

Lucideon Limited

Security Level: Email, Account Authentication  
(Required), Authentication, Logged in

## Signature

*Natalie Boot*

Signature Adoption: Pre-selected Style

Signature ID:

90369E90-4813-4123-B65D-5E8FBD375BF3

Using IP Address: 86.188.222.148

With Signing Authentication via DocuSign password

With Signing Reasons (on each tab):

I have reviewed this document

I have reviewed this document

## Timestamp

Sent: 21-Dec-23 | 15:50

Viewed: 21-Dec-23 | 15:50

Signed: 21-Dec-23 | 15:51

## Electronic Record and Signature Disclosure:

Not Offered via DocuSign

## In Person Signer Events

## Signature

## Timestamp

## Editor Delivery Events

## Status

## Timestamp

## Agent Delivery Events

## Status

## Timestamp

## Intermediary Delivery Events

## Status

## Timestamp

## Certified Delivery Events

## Status

## Timestamp

## Carbon Copy Events

## Status

## Timestamp

## Witness Events

## Signature

## Timestamp

## Notary Events

## Signature

## Timestamp

## Envelope Summary Events

## Status

## Timestamps

Envelope Sent

Hashed/Encrypted

21-Dec-23 | 15:50

Certified Delivered

Security Checked

21-Dec-23 | 15:50

Signing Complete

Security Checked

21-Dec-23 | 15:51

Completed

Security Checked

21-Dec-23 | 15:51

## Payment Events

## Status

## Timestamps

# PHARMACEUTICAL ANALYSIS REPORT

## Flexible Medical Packaging

Unit 8  
Hightown  
White Cross Industrial Estate  
Lancaster  
LA1 4XS

FAO: Mrs. Olga Kirchner

**Report of Tests on:** ClearKlens IPA

**Sample Description:** Sample Code: Fmp23311 58915

**Lucideon Sample Number:** UK234412-33454

**Lucideon Report Number:** UK234412-33454/ETEP **Issue Number:** 1

**Date Logged:** 01-Dec-2023 **Order Number:** 406976

**Date Reported:** 14-Dec-2023 **Date(s) of Test(s):** 07-Dec-2023 to 07-Dec-2023

### Endotoxin Test (EP)

#### 2.6.14 Bacterial Endotoxins - Method C - Turbidimetric Kinetic Method

## Test Results:

The test results meet the EP/USP criteria: Yes

Result: Pass (<0.2000 EU/ml)

Tests carried out in accordance with cGMP

**End of Test Report**

DocuSigned by:

*Natalie Boot*



Signer Name: Natalie Boot  
Signing Reason: I have reviewed this document  
Signing Time: 14 December 2023 | 09:53 GMT

90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

**Senior Business Support Administrator**

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited  
Queens Road, Penkhull  
Stoke-on-Trent  
Staffordshire, ST4 7LQ, UK  
T +44 (0)1785 331874  
query@lucideon.com  
www.lucideon.com  
Reg. England 1960455

**Certificate Of Completion**

Envelope Id: D9F436AA53724BA38A75AAA0E61BEB93

Status: Completed

Subject: sign

Source Envelope:

Document Pages: 1

Signatures: 1

Envelope Originator:

Certificate Pages: 1

Initials: 0

Natalie Boot

AutoNav: Enabled

Queens Road

Enveloped Stamping: Disabled

Stoke-on-Trent, Staffordshire ST4 7LQ

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Natalie.Boot@uk.lucideon.com

IP Address: 86.188.245.148

**Record Tracking**

Status: Original

Holder: Natalie Boot

Location: DocuSign

14-Dec-23 | 09:52

Natalie.Boot@uk.lucideon.com

**Signer Events****Signature****Timestamp**

Natalie Boot

natalie.boot@uk.lucideon.com

Placeholder

Lucideon Limited

Security Level: Email, Account Authentication  
(Required), Authentication, Logged in*Natalie Boot*

Sent: 14-Dec-23 | 09:53

Viewed: 14-Dec-23 | 09:53

Signed: 14-Dec-23 | 09:53

Signature Adoption: Pre-selected Style

Signature ID:

90369E90-4813-4123-B65D-5E8FBD375BF3

Using IP Address: 86.188.222.148

With Signing Authentication via DocuSign password

With Signing Reasons (on each tab):

I have reviewed this document

**Electronic Record and Signature Disclosure:**

Not Offered via DocuSign

**In Person Signer Events****Signature****Timestamp****Editor Delivery Events****Status****Timestamp****Agent Delivery Events****Status****Timestamp****Intermediary Delivery Events****Status****Timestamp****Certified Delivery Events****Status****Timestamp****Carbon Copy Events****Status****Timestamp****Witness Events****Signature****Timestamp****Notary Events****Signature****Timestamp****Envelope Summary Events****Status****Timestamps**

Envelope Sent

Hashed/Encrypted

14-Dec-23 | 09:53

Certified Delivered

Security Checked

14-Dec-23 | 09:53

Signing Complete

Security Checked

14-Dec-23 | 09:53

Completed

Security Checked

14-Dec-23 | 09:53

**Payment Events****Status****Timestamps**