

## Certificate of Analysis

	<b>Customer Order:</b> <b>Ordered Quantity: 0.000</b> <b>Shipped From: IT BAGNOLO CREMASCO CR PLANT</b>  <b>Order Number:</b> <b>Delivery:</b> <b>Date Shipped:</b> <b>Sold To Number:</b>
--	---

DI CLEARKLENS ULTRA VH4 950L GB, IRL

Solenis Material Number: 100830638

Characteristics	Unit	Specification	Method	Batch
				<b>0003032939</b>
Alkalinity, Free Na <sub>2</sub> O (pH 8.2)	%	1.00 - 2.00	DM-002	1.60
Alkalinity, Total (pH 3.6)	%	2.00 - 3.00	DM-002	2.30
Appearance			Visual Test	Pass
Odor			Olfactory	Pass
pH (1%)		10.9 - 12.1	DM-001	11.2
Specific Gravity		1.0500 - 1.0900	DM-004	1.0710
Date of Manufacture				May 21, 2024
Expiration date, shelf life				May 11, 2026
Usage Decision				Accepted: Auto post to unrestricted use
Quantity Ordered				0.000

Notes:  
 CLEAR, COLORLESS, LIQUID

This COA is printed from a secure computer system ensuring the batch was properly released by the Quality Department and is valid without signature.